
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



INDEXED.

Price List

of the

American Nursery Company



70 East 45th Street New York

Business Terms

ALL ORDERS ARE ACCEPTED SUBJECT TO previous sale and the following terms and conditions:

PRICES in this catalogue cancel all previous lists and quotations and are subject to change without notice. The charge for packing will be additional, at cost.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name and in good condition when shipped.

WE CAN GIVE NO GUARANTEE ON THE LIFE OF PLANTS, as we have no control over it after leaving our hands.

CLAIMS must be made within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we recive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and promptly present your claim to the transportation company.

DISCOUNTS FOR QUANTITY

On certain plants we make, upon application, special prices for quantity. 10% on 10 and 20% on 100 from the each price.

| Example | | |
|------------------|-------|-----------|
| Cydonia japonica | Each | 10 100 |
| 1½ to 2 ft | .50 4 | .50 40.00 |

Deciduous Trees

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be

understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here. ACER dasycarpum. SILVER MAPLE. 60'-80' Quick growing, graceful. Leaves silvery underneath—yellow autumn coloring. 8 to 10 ft., $1\frac{1}{4}$ in...\$1.75 10 to 11 ft., $1\frac{1}{2}$ in... 2.50 10 to 12 ft., 13/4 in... \$3.00 12 to 13 ft., 2 in... 3.75 dasycarpum wieri. WIER CUTLEAF MAPLE. 60'-80' Graceful, drooping. negundo. Boxelder. 60' Especially good for dry barren places and seashore. Rapid grower. 8 to 10 ft., $1\frac{1}{4}$ in.... 1.75 10 to 11 ft., $1\frac{1}{2}$ in.... 2.25 11 to 12 ft., 1¾ in.... 3.00 12 to 13 ft., 2 in.... 4.00 **platanoides.** NORWAY MAPLE. 50'-75' The most popular street tree, retains leaves until late autumn, when they turn rich yellow. 8 to 10 ft., 1¼ in... 4.00 11 to 12 ft., 1¾ in... 5.50 10 to 11 ft., 1¼ in... 4.50 12 to 13 ft., 2 in... 6.50 platanoides schwedleri. Schwedler Purple Maple. 40'-60'
Probably the best large growing purple leaf tree—useful lawn tree. 6 to 8 ft 3.25 8 to 10 ft.... pennsylvanicum (striatum). Striped Maple. 20'-30' Green bark striped with white. Thrives in wet soils. 3 to 4 ft 1.25 4 to 5 ft...... 1.75 rubrum. RED OR SCARLET MAPLE. 50'-75' Best in moist locations, also thrives in upland. Brilliant red autumn coloring. 8 to 10 ft., 1½ in... 3.75 10 to 12 ft., 1½ in... 4.50 12 to 13 ft., 13/4 in... 5.50 13 to 14 ft., 2 in... 6.50 saccharum. Sugar Maple. 50'-75' Most popular in northern states. Best planted in spring—rich yellow autumn coloring. 10 to 11 ft., 1¼ in... 3.25 12 to 13 ft., 1¾ in... 5.25 11 to 12 ft., 1½ in... 4.00 13 to 14 ft., 2 in... 6.50

| AESCULUS parvi | | | | |
|---------------------------|---------|-------------------|----------------|-----------|
| | | some spreading sh | | |
| | flowers | in July-August. | Leaves similar | to horse- |
| chestnut. 18 to 24 in | .75 | 2 to 3 ft 1.00 | 3 to 4 ft | 1.59 |

 AILANTHUS glandulosa. Tree-of-Heaven. 50'-60'
 Succeeds under most adverse city conditions—grows rapidly.

 4 to 6 ft.
 1.00
 8 to 10 ft.
 1.75

 6 to 8 ft.
 1.25
 10 to 12 ft.
 2.50

| BETULA alba pyramidalis. Pyramidal White Birch. 30'-40' Dense, columnar. |
|---|
| 4 to 5 ft\$2.50 5 to 6 ft\$3.25 |
| alba youngi. Youngs Weeping Birch. 30'-40' Spreading pendulous branches. Graceful lawn specimen. 3 to 4 ft |
| 3 to 4 ft |
| lenta. Sweet Birch. 40'-60' Attractive smooth reddish bark and conspicuous catkins in spring. |
| 3 to 4 ft. 1.00 6 to 8 ft. 1.85 4 to 6 ft. 1.35 8 to 10 ft. 2.50 |
| lutea. Yellow Birch. 50'-70' Makes fine windbreak—good |
| foliage. 4 to 6 ft |
| nigra. RIVER BIRCH. 50'-60' Thrives in moist places. Its torn |
| ragged bark is unique—fine for naturalistic planting. |
| 3 to 4 ft 1.00 6 to 8 ft 1.75 4 to 6 ft 1.35 8 to 10 ft 2.50 |
| papyrifera. CANOE BIRCH. 40'-50' Picturesque paper bark, very |
| white when old—graceful branching habit. |
| 4 to 6 ft 1.35 8 to 10 ft 2.50 6 to 8 ft 1.75 10 to 12 ft 3.75 |
| populifolia. GRAY BIRCH. 30'-40' Grows in poor and dry soil. 6 to 8 ft |
| CARPINUS caroliniana (americana). American Hornbeam. 30'-40' |
| Closely resembles the beech—smooth, blue-gray bark. 3 to 4 ft |
| CATALPA bungei. Umbrella Catalpa. 10'-15' Formal planting. |
| CATALPA bungei.UMBRELLA CATALPA. $10^{\prime}-15^{\prime}$ Formal planting.Medium Heads. $1\frac{1}{4}$ in. stems 2.00 First Class Heads. $1\frac{1}{2}$ in. stems 2.50 Extra Large Heads. $1\frac{3}{4}$ in. stems 2.75 Double Ex. Large Heads. 2 in. stems 3.25 |
| speciosa. Western Catalpa. 30'-35' 8 to 10 ft 2.50 10 to 12 ft., 2½ in 3.25 |
| |
| CEDRELA sinensis. Chinese Cedrela. 30'-40' Tropical effect—clusters of white flowers. Will thrive in city. 2 to 3 ft |
| CELTIS occidentalis. HACKBERRY. 50'-60' Similar foliage and habit |
| as Elm. 4 to 5 ft |
| CERASUS. (See Prunus) |
| CERCIDIPHYLLUM japonicum. Katsura-tree. 60'-80' A magnificent tree. Beautiful spring and autumn colors. |
| $4 \text{ to } 5 \text{ ft.} \dots 1.35$ $5 \text{ to } 6 \text{ ft.} \dots 1.75$ |
| CERCIS. JUDAS-TREE. (See Shrubs) |
| CLADRASTIS lutea (tinctoria). YELLOW-WOOD. 30'-40' Long pani- |
| cles of fragrant white flowers in June. 4 to 5 ft |
| CORNUS florida. White Flowering Dogwood. 15'-25' One of the |
| best spring flowering trees—red berries in fall. 3 to 4 ft |
| florida pendula. Weeping Dogwood. δ'-10' Curious weeping form. |
| 3 to 4 ft |
| rubra. RED FLOWERING DOGWOOD. 15'-20' Flowers bright pink. 1½ to 2 ft. 1.30 3 to 4 ft. 2.75 2 to 2½ ft. 2.00 4 to 5 ft. 3.25 2½ to 3 ft. 2.50 |
| |

| CRATAEGUS carrieri. CARRIERE HAWTHORN. 12'-15' 3 to 4 ft\$1.00 4 to 5 ft\$1.25 |
|--|
| coccinea. THICKET HAWTHORN. $15'-20'$ Large scarlet fruits. 2 to 3 ft |
| cordata. Washington Hawthorn. 12'-15' Small, brilliant red berries which persist nearly all winter. Brilliant autumn foliage. 3 to 4 ft 1.00 4 to 5 ft 1.30 crusgalli. Cockspur Thorn. 15' Distinctive deep green shining |
| leaves. Conspicuous white flowers. 3 to 4 ft |
| oxycantha (Monogyna). English Hawthorn. 12'-15' Single white flowers. |
| white flowers. 18 to 24 in 50 3 to 4 ft 1.00 2 to 3 ft 80 4 to 5 ft 1.30 |
| CRATAEGUS Paul Scarlet. 12'-15' Double scarlet flowers. 4 to 5 ft |
| FAGUS americana (ferruginea). American Beech. 75'-100' Distinctive silver-gray bark. Prefers well drained limestone soil |
| Plant in early spring. 2 to 3 ft 1.30 |
| 2 to 3 it |
| FRAXINUS americana. WHITE ASH. 70'-80' Fairly rapid grower. Assumes golden foliage in autumn. Good in moist and lime soils. Splendid street tree. |
| 8 to 10 ft., 1¼ in 1.75 12 to 13 ft., 2 in 3.25 10 to 12 ft., 1¾ in 2.50 13 to 14 ft 2¼ in 4.50 |
| GINKGO biloba (Salisburia). MAIDENHAIR TREE. 50'-75' Picturesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75 10 to 12 ft., 1½ in 2.75 13 to 14 ft., 2 in 4.75 |
| GLEDITSIA triacanthos. HONEYLOCUST. 60'-70' Thorny tree with fragrant white flowers in May. Good for gravelly soil. |
| 3 to 4 ft |
| GYMNOCLADUS diocia. Kentuckycoffee Tree. 40'-50' Light blue-green foliage of slow growth—long interesting seed pods. 3 to 4 ft |
| KOELREUTERIA paniculata. Golden Raintree. 25'-30' Bright yellow flowers in July—a valuable small tree of irregular outline. 3 to 4 ft80 4 to 6 ft 1.00 6 to 7 ft 1.35 |
| LABURNUM vulgare. GOLDENCHAIN. 20'-25' Golden yellow flowers in June. |
| 3 to 4 ft |
| LARIX europaea. European Larch. 50'-60' Especially good for spring effects. Grows rapidly into a symmetrical tree. 2 to 3 ft |
| laricina. AMERICAN LARCH. 40'-50' 2 to 3 ft |
| leptolepis. JAPANESE LARCH. 50'-60' Long flat leaves, bright orange in autumn. |
| 3 to 4 ft |
| for autumn color. Grows well in moist places. Has corky bark and star-shaped maple-like leaves—difficult to transplant. 5 to 6 ft. 2.75 8 to 10 ft 4.50 6 to 8 ft. 3.25 10 to 12 ft. 5.25 |

| LIRIODENDRON tulipifera. TULIPTREE. 60'-80' Quick grower, yellow tulip-like flowers in June—flat topped leaves yellow in autumn. Prefers moist place. |
|---|
| 6 to 8 ft\$1.75 10 to 12 ft\$2.75 8 to 10 ft2.50 12 to 14 ft3.25 |
| MAGNOLIA glauca. Sweetbay. 15'-20' Fragrant creamy flowers in May, leaves nearly evergreen, prefers moist location. 2 ft., B. & B |
| MALUS coronaria. WILD SWEET CRAB. 15'-20' Fragrant blush pink |
| flowers in early spring—April. 3 to 4 ft |
| 4 to 5 ft |
| 3 to 4 ft 1.25 4½ to 5 ft 2.50 4 to 4½ ft 1.85 5 to 6 ft 2.75 scheideckeri. Scheidecker Crab. 10′-15′ Double pink lasting flowers. |
| 4 to 5 ft |
| MORUS alba pendula. WEEPING MULBERRY. 8'-10' Medium Grade. 2.50 Extra |
| OXYDENDRUM arboreum. Sourwood. 25'-30' Graceful clusters of white flowers, Aug. Good leathery foliage, fine autumn color. 2 to 3 ft 1.00 3 to 4 ft 1.25 4 to 5 ft 1.50 PAULOWNIA imperialis. ROYAL PAULOWNIA. 30'-40' Rapid grower, large leaves, purple flowers. Not quitehardy in north. 4 to 6 ft 1.30 6 to 8 ft 2.00 8 to 10 ft 2.75 |
| PLATANUS orientalis. EUROPEAN PLANETREE. 70'-80' A good tree for park and street use, quick grower, stands city conditions. 8 to 10 ft., 1½ in 2.50 11 to 12 ft., 1¾ in 4.50 10 to 11 ft., 1½ in 3.75 12 to 13 ft., 2 in 5.25 |
| POPULUS alba. WHITE POPLAR. 60'-80' Rapid grower, attractive foliage with wooly-white under-surface—good seashore plant. 8 to 10 ft., 1½ in 1.75 10 to 12 ft., 1½ in 2.00 balsamifera. Balsam Poplar. 60'-70' Has fragrant buds in spring. Broad leaves. commendable. |
| 10 to 11 ft., 1½ in 1.75 bolleana. Bolleana Poplar. 50′-60′ Leaves white underneath, similar columnar character to Lombardy poplar—gray bark. 6 to 8 ft 1.25 8 to 10 ft., 1 in 1.35 10 to 12 ft., 1½ in 2.00 canescens. Gray Poplar. 30′-40′ 10 to 12 ft., 1½ in 3.75 10 to 12 ft., 1¾ in 4.75 |
| even on dry places and near seashore. |
| 8 to 10 ft., 1½ in70 12 to 14 ft., 1¾ in 1.75 11 to 12 ft., 1½ in 1.10 14 to 16 ft., 2 in 2.00 nigra italica. Lombardy Poplar. 60′-80′ Tall spire-like character, is valued for screens and architectural effects. |
| 6 to 8 ft |

| POPULUS simoni. SIMON POPLAR. 10 to 11 ft., 1½ in |
|---|
| 8 to 10 ft., $1\frac{1}{2}$ in\$1.75 10 to 11 ft., $1\frac{3}{4}$ in 2.00 PRUNUS avium (Cerasus). Flowering Cherry. $2o'-25'$ Double |
| white flowers. |
| 4 to 5 ft |
| 2 to 3 ft |
| 4 to 5 ft |
| 4 to 5 ft., B. & B 4.50 6 to 7 ft., B. & B 8.75 5 to 6 ft., B. & B 6.50 |
| 1 year head, B. & B 3.75 3 year head, B. & B 8.00 2 year head, B. & B 5.75 |
| purplish foliage. Should be pruned every year for best color effect. |
| 2 to 3 ft |
| serotina. Black Cherry. $25'-30'$ Lustrous deep green foliage. 4 to 6 ft |
| PTELEA trifoliata. HOPTREE. 10'-12' Clusters of hop-like fruits— |
| purplish-brown fall coloring. 3 to 4 ft |
| QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. |
| 6 to 8 ft |
| bicolor. SWAMP WHITE OAK 75'-90' Best in low damp places. 6 to 8 ft |
| coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tall stately grower, deeply cut leaves—succeeds in dry places. 6 to 8 ft |
| palustris. PIN OAK. 75'-90' Takes most kindly to cultivation, prefers moist soil but is very adaptable. Particularly fitting as a street tree. Good autumn effects. |
| 8 ft., 1½ in 3.75 9 to 10 ft., 1¾ in 5.75 8 to 9 ft., 1½ in 4.50 10 to 12 ft., 2 in 6.75 |
| rubra. Red Oak. 75'-00' Comparatively quick growth, rich autumn |
| coloring in greens and reds—unfolding leaves are pink. 8 to 9 ft., 1¼ in 3.75 9 to 11 ft., 1¾ in 5.75 9 to 10 ft., 1½ in 4.50 10 to 12 ft., 2 in 6.75 |
| ROBINIA pseudoacacia. Locust. 60'-80' Has fragrant white flowers in May. 6 to 8 ft |
| SALIX babylonica. Babylonian Weeping Willow. 50'-60' Particularly appropriate for waterside planting—long pendulus branches. |
| 4 to 6 ft90 6 to 8 ft 1.15 8 to 10 ft 1.35 |
| Chinese Form 4 to 6 ft80 6 to 8 ft 1.15 8 to 10 ft 1.35 |
| babylonica aurea. Russian Golden Weeping Willow. 40'-50' Golden-yellow bark—similar habit to preceding. |
| 5 to 6 ft 1.10 8 to 10 ft 1.25 6 to 7 ft 1.15 10 to 12 ft 2.00 |

| SALIX blanda (dolorosa). Wisconsin Weeping Willow. 40'-50' |
|--|
| Very hardy. 4 to 6 ft. \$.65 6 to 8 ft. 1.00 8 to 10 ft. 1.25 |
| discolor. Pussy Willow. 15'-20' Desirable for spring effects— |
| 2 to 3 ft \$.40 |
| elegantissima. Thurlow Weeping Willow. 60'-70' Vigorous spreading. |
| 4 to 6 ft |
| incana (rosmarinifolia). Rosemary Willow. 12'-15' Fine foliage effects—narrow leaves, silvery white beneath. 3 to 4 ft |
| pentandra. Laurel Willow. 20'-30' Shining dark green leaves—valuable for seashore planting. |
| 3 to 4 ft |
| salamoni. Salamon Weeping Willow. 60'-70' The most vigorour of all "weeping willows." |
| 6 to 8 ft |
| vitellina. Golden Willow. 25'-30' Valuable for winter effect, bright golden bark. Silky leaves, silvery underneath. 3 to 4 ft40 4 to 5 ft50 5 to 6 ft65 |
| vitellina britzensis. Bronze Golden Willow. 20'-25' Particularly good when used with preceding variety—has reddish bronze bark. 2 to 3 ft |
| 3 to 4 ft |
| SOPHORA japonica. Chinese Scholartree. 30'-40' White flowers in late summer. |
| 2 to 3 ft 1.00 4 to 6 ft 1.75 3 to 4 ft 1.35 6 to 8 ft 2.00 |
| SORBUS aucuparia. European Mountain-ash. 25'-30' Valuable |
| lawn tree—orange scarlet berries. 4 to 5 ft. 1.25 6 to 8 ft. 2.00 5 to 6 ft. 1.35 8 to 10 ft. 2.75 |
| TILIA americana, AMERICAN LINDEN. 75'-90' Quick grower—open |
| head. Fragrant yellow flowers. 10 to 11 ft., 1¾ in 4.00 12 to 13 ft., 2¼ in 6.00 11 to 12 ft., 2 in 5.25 13 to 14 ft., 2½ in 7.25 |
| tomentosa (argentea). SILVER LEAF LINDEN. 60'-70' Symmetrical and compact—leaves silvery gray underneath. 2 in 7.25 |
| platyphyllos. European Bigleaf Linden. 60'-75' 9 to 10 ft., 1½ in 3.25 11 to 12 ft., 2 in 5.75 10 to 11 ft., 1¾ in 4.50 11 to 12 ft., 2¼ in 7.25 |
| vulgaris (europaea). European Linden. 60'-70' Fragrant flowers in late June, grows vigorously, compact symmetrical tree. 10 to 12 ft., 1½ in 3.25 |
| ULMUS americana. AMERICAN ELM. 80'-100' One of the most beau- |
| tiful and stately native trees. 8 to 10 ft., $1\frac{1}{4}$ in 2.75 10 to 12 ft., $1\frac{3}{4}$ in 4.50 9 to 11 ft., $1\frac{1}{2}$ in 3.75 11 to 12 ft., 2 in 6.00 |

Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence.

| standard of exemence. |
|--|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8' Has rich purple-red leaves all summer. 1½ to 2 ft. 5.75 2 to 2½ ft. 7.25 2½ to 3 ft. 8.00 |
| tatarica ginnala. Tatarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring. 3 to 4 ft |
| AMELANCHIER canadensis (botryapium). Downy Juneberry. 10'-12' White flowers before leaves. Fruits relished by birds. |
| 2 to 3 ft 65 3 to 4 ft 80 4 to 5 ft 90 |
| AMORPHA fruticosa. Indigobush. 8'-10' Deep purple flowers |
| June, spreading. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 |
| AMYGDALUS nana. Flowering Almond. 5'-6' Flowers double, May. |
| Pink and White |
| 1½ to 2 ft |
| ARALIA pentaphylla. FIVELEAF ARALIA. 7'-8' Graceful arching habit. Greenish white flowers. Splendid for banks. Good green foliage. 2 to 3 ft40 3 to 4 ft55 4 to 5 ft70 |
| spinosa. Devils-walkingstick. 18'-20' Useful for tropical effects. White flowers, July—dark purple berries follow. |
| 2 to 3 ft |
| ARONIA melanocarpa (nigra). BLACK CHOKEBERRY. 8'-10' Delicate |
| 1½ to 2 ft |
| white flowers in May. Black berries persist until late. 1½ to 2 ft |
| $1\frac{1}{2}$ to 2 ft65 2 to 3 ft80 3 to 4 ft 1.00 |
| AZALEA arborescens. Sweet Azalea. 10'-12' Fragrant white flowers, June. |
| 12 to 15 in., B. & B 1.75 15 to 18 in., B. & B 2.25 |
| calendulacea (lutea). Flame Azalea. 8'-10' Flame-colored flowers in early spring. |
| 12 to 15 in., B. & B 1.75 15 to 18 in., B. & B 2.25 |
| kaempferi. Torch Azalea. 4'-5' Warm brick-red flowers in May. 12 to 15 in., B. & B 2.50 15 to 18 in., B. & B 2.75 |
| mollis. Chinese Azalea. 4'-6' Large showy orange and red flowers. May-June. |
| 12 to 15 in., B. & B 2.00 1½ ft., B. & B 3.25 15 to 18 in., B. & B 2.75 |
| pontica. Pontic Azalea. 6'-8' Flowers of all shades, white to red. 12 to 15 in., B. & B 2.00 15 to 18 in., B. & B 2.75 |
| rosea. Downy Azalea: 4'-5' Good bushy habit. Beautiful pink flowers, May-June. Prefers semi-shady, moist place. 1½ to 2 ft., B. & B 2.75 2 to 2½ ft., B. & B 3.25 |
| |

```
AZALEA viscosa. SWAMP AZALEA. 4'-5' White, very fragrant,
   BACCHARIS halimifolia. Groundselbush. 9'-10' Conspicuous fluffy seed pods in Sept. Good for seashore. Best in masses. 2 to 3 ft... .55 3 to 4 ft... .65 4 to 5 ft... .80

BENZOIN aestivale (Lindera Benzoin). SPICEBUSH. 10'-12' Flowers
yellow, April—scarlet berries—leaves aromatic.

18 to 24 in... .55  2 to 3 ft... .65  3 to 4 ft... 1.00

BERBERIS thunbergi minor. Box Barberry. 2'-3' A dwarf form of Japanese Barberry. Fruits sparingly. Fine for dwarf clipped
          hedges.
       thunbergi. Japanese Barberry. 4'-5' A splendid low hedge plant or for massing. Brilliant autumn coloring, scarlet berries.

Bach Per 10 Per 100 Per 1000

12 to 15 in. $.30 $2.50 $16.00 $120.00

15 to 18 in. .40 3.25 25.00 190.00

18 to 24 in. .50 4.00 35.00 256.00

2 to 2½ ft. .60 4.75 40.00

2½ ft. .80 6.50

thunbergi. Sheared Globes. These are well shaped solid specimens 12 in. .1.75 15 in. .2.00 18 in. .2.75

vulgaris. European Barberry. 7'-8' Yellow flowers, May. Fruit red, persisting to midwinter. Vigorous, upright habit. 1½ to 2 ft. .35 2.75 25.00

2 to 3 ft. .40 3.25 29.00

3 to 4 ft. .50 4.00 32.00

vulgaris purpurea. Purple Barberry. 7'-8' Has pleasing soft purple foliage. Similar in habit to preceding. 18 to 24 in. .40 3.25 3 to 4 ft. .65 5.50

2 to 3 ft. .50 4.00

EUDDLEIA veitchi. BUTTERFLYBUSH. 5'-6' Very effective—gray-
CALLICARPA purpurea. CHINESE BEAUTYBERRY. 3'-4' Especially
          attractive in August with its lilac-violet berries. Graceful habit.
                                                       CALYCANTHUS floridus. Common Sweetshrub. 4'-5' Reddish-
       brown flowers, June–Sept., spicy fragrance.

18 to 24 in . . . . 55 2 to 3 ft . . . . . 70 3 to 4 ft . . . . . 80
CARYOPTERIS incana (mastacanthus). Bluebeard. 2'-3' Lavenderblue flowers, Sept.-Oct. Splendid for massing. Requires pro-
```

| CERCIS canadensis. AMERICAN REDBUD. 12'-15' Rosy-pink, April. Very effective when planted with dogwood. Good foliage. 2 to 3 ft \$.65 3 to 4 ft \$.90 4 to 5 ft \$1.10 |
|--|
| japonica. Chinese Redbud. 10'-12' Flowers larger and darker than preceding—succeeds best in rather moist soil. |
| 15 to 18 in |
| CHIONANTHUS virginica. WHITE FRINGETREE. $15'-18'$ Fragrant tassel-like white flowers, May–June. Blue-black fruits. $1\frac{1}{2}$ to 2 ft |
| CLETHRA alnifolia. Summersweet. 4'-5' Spikes of fragrant white flowers, July-Sept. Prefers moist, shady places—good for massing. |
| 18 to 24 in |
| COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored. |
| 2 to 3 ft |
| CORNUS alba (sibirica). CORAL DOGWOOD. 8'-10' Bright red bark, blue fruits—quick grower, useful for winter effect. White flowers. 2 to 3 ft |
| alba spaethi. Spaeth Dogwood. 6'-8' Leaves margined yellow. White flowers |
| 18 to 24 in |
| 2 to 3 ft |
| gray-green leaves, white fruits, small white flowers all summer. |
| 3 to 4 ft |
| 1½ to 2 ft |
| fruits. White flowers. 2 to 3 ft |
| yellow bark. White flowers. 2 to 3 ft |
| CORYLUS americana. HAZELNUT. $8'-9'$ Useful for natural plantings. $2 \text{ to } 3 \text{ ft.} \dots 1.25 3 \text{ to } 4 \text{ ft.} \dots 1.75 4 \text{ to } 5 \text{ ft.} \dots 2.75$ |
| CYDONIA japonica. Flowering Quince. 4'-5' Scarlet flowers in April-May. |
| 15 to 18 in40 1½ to 2 ft50 2 to 2½ ft60 DESMODIUM. (See Lespedeza) |
| DEUTZIA gracilis. SLENDER DEUTZIA. 3 ¹ Profuse bloomer, white flowers, May. |
| 12 to 15 in |
| lemoinei. LEMOINE DEUTZIA. 4'-5' Large white flowers, June, graceful. 15 to 18 in. .50 2 to 2½ ft. .70 1½ to 2 ft. .60 2½ to 3 ft. .90 |
| |

| DEUTZIA magnifica. 6'-8' Large tassel-like flowers, June. Vigorous. 2 to 3 ft\$.50 3 to 4 ft\$.70 4 to 5 ft\$.90 |
|---|
| DEUTZIA magnifica. 6'-8' Large tassel-like flowers, June. Vigorous. 2 to 3 ft\$.50 3 to 4 ft\$.70 4 to 5 ft\$.90 parviflora. Mongolian Deutzia. 3' Erect habit, white, June. 15 to 18 in 40 18 to 24 in50 2 to 2½ ft60 scabra. Pride of Rochester. 9'-10' Vigorous large flower tinged |
| scabra candidissima. Snowflake Deutzia. g'-10' Graceful habit, |
| scabra crenata, fl. pl. Double Pink Deutzia. 6'-8' Pink, slightly fragrant, June. Prices of above. 1½ to 2 ft |
| vilmorinae. VILMORIN DEUTZIA. 4'-5' 18 to 24 in |
| DIERVILLA trifida. DWARF BUSH-HONEYSUCKLE. 3' Yellow, June- |
| July. A good low shrub for shady places. 12 to 15 in40 15 to 18 in50 18 to 24 in60 sessilifolia (lutea). SOUTHERN BUSH-HONEYSUCKLE. 4'-5' Yellow, more vigorous than preceding, June-July. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft60 |
| |
| ELAEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves and branchlets, orange berries. Good for massing—prefers sun. |
| 2 to 3 ft |
| stone soils. 18 to 24 in |
| bark. Warm crimson autumn coloring, makes fine specimen shrub. |
| 18 to 24 in |
| 1½ to 2 ft |
| 2 to 3 ft |
| 2 to 3 ft |
| EXOCHORDA grandiflora. Pearlbush. 6'-9' Dazzling white flowers, May. Is improved by annual pruning—prefers a moist soil. 2 to 3 ft |
| FORSYTHIA intermedia. BORDER GOLDENBELL. 6'-8' Bright vellow |
| flowers in April before leaves unfold—profuse and beautiful. 2 to 3 ft |
| profuse of all, with large rich golden yellow flowers. 2 to 3 ft |
| suspensa. Weeping Goldenbell. 4'-6' Graceful drooping habit, excellent for massing, banks, or hanging over retaining walls. |
| 2 to 3 ft |
| 2 to 3 ft40 3 to 4 ft50 4 to 5 ft60 viridissima. Greenstem Forsythia. 7'-8' Most vigorous. Has |
| green bark—thick, dark green leaves. Last to flower. 2 to 3 ft |
| GENISTA tinctoria. WOADWAXEN. 3' Yellow pea-shaped flower—June. |
| 1 to 1½ ft |

| HALESIA tetraptera. Great Silverbell. 12'-15' Snow-white bell-shaped flowers in May. |
|--|
| $2 \text{ to } 3 \text{ ft.} \dots \$.70 3 \text{ to } 4 \text{ ft.} \dots \$.90 4 \text{ to } 5 \text{ ft.} \dots \$ 1.15$ |
| HAMAMELIS virginiana. WITCH-HAZEL. 10'-12' Yellow ribbon-like flowers, OctNov. Good foliage, best in moist, half-shady places. |
| 18 to 24 in |
| HIBISCUS syriacus (althea). Rose of Sharon. 10'-12' Rather formal in outline, flowering in August. Pink, purple, red and white, single and double. |
| Amplissima. Double red. Coerulea. Double purplish blue. Lady Stanley. Double pink. De la Vaux. Double red. Sieboldi. Double pink. Elegantissima. Double pink. Totus albus. Single white. 18 to 24 in |
| $1\frac{1}{2}$ to 2 ft |
| HYDRANGEA arborescens. SMOOTH HYDRANGEA. 4'-5' White, |
| June-July. 18 to 24 in |
| white flowers, June–July. 18 to 24 in50 2 to 3 ft70 3 to 4 ft85 radiata (nivea). SILVERLEAF HYDRANGEA. 4'-5' Leaves white underneath, flowers white, June–July. Pleasing fresh green |
| foliage. 1½ to 2 ft |
| leaf. Splendid autumn coloring—succeeds in shade. 12 to 15 in80 15 to 18 in70 18 to 24 in 1.00 paniculata. PANICLE HYDRANGEA 8'-o' Large loose panicles of |
| white flowers, August. A graceful, desirable shrub. $1\frac{1}{2}$ to 2 ft 55 2 to 3 ft |
| paniculata grandiflora Standard. Tree Form. Medium, 3 to 4 ft 1.25 First class, 3 to 4 ft 1.50 Extra, 4 to 5 ft 1.75 |
| HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-Aug., blue-green foliage, dense habit, good for margin of shrubbery. |
| 18 to 24 in |
| 2 to 3 ft |
| 2 yr., 12 in |
| ILEX verticillate (princs) WINTERDERRY 6'-8' Bright red harries |
| ILEX verticillata (prinos). WINTERBERRY. 6'-8' Bright red berries persisting to mid-winter—not eaten by birds. Prefers moist soil. |
| 15 to 18 in 50 2 to 2½ ft 70 1½ to 2 ft |
| ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, July. Good for low places—brilliant autumn coloring. 18 to 24 in 50 2 to 2½ ft 60 2½ to 3 ft |

| JASMINUM humile. ITALIAN JASMINE. 3' Yellow flowers. 1½ to 2 ft\$.50 2 to 2½ ft\$.60 nudiflorum. WINTER JASMINE. 3' Yellow, April-May. 3' Yellow, April-May. 18 to 24 in |
|--|
| 18 to 24 in |
| KERRIA japonica. Japanese Kerria. 4'-5' Golden yellow, June—Sept. Green branches useful for winter effects—graceful habit. 15 to 18 in |
| 18 to 24 in |
| LESPEDEZA bicolor. BUSHCLOVER. 5'-6' Rose and white flower— July. Slender graceful shrub—attractive clover-like foliage. 18 to 24 in50 2 to 3 ft60 3 to 4 ft70 formosum (Desmodium penduliflorum). PURPLE BUSHCLOVER. 3'-4' Rosy purple flower conspicuous in Sept. Attractive shrub. 2 yr., 18 to 24 in50 |
| LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen, very hardy. |
| Each Per 10 Per 100 Each Per 10 Per 100 18 to 24 in25 1.60 13.00 3 to 4 ft40 3.25 24.00 2 to 3 ft35 2.50 16.00 4 ft50 4.00 32.00 ibota. IBOTA PRIVET. g'-10' Good dense habit, flowers and fruits freely. Decorative black berries—very hardy. |
| 18 to 24 in35 2.50 16.00 3 to 4 ft50 4.00 32.00 2 to 3 ft40 3.25 24.00 4 ft60 5.00 40.00 |
| ibota regelianum. True Spreading Regel Privet. 5'-6' Makes a splendid low dense hedge—also good in shrubbery or evergreen plantings. |
| 18 to 24 in40 3.25 24.00 2½ to 3 ft65 5.50 42.00 2 to 2½ ft50 4.00 32.00 |
| Lodense. DWARF PRIVET. 2½ Compact dwarf form for hedgings. |
| ovalifolium. California Privet. 9'-10' Most popular hedge plant. Per 10 Per 100 Per 1000 Per 10 Per 10 Per 100 Per 1000 |
| 12 to 18 in. 1.00 5.75 40.00 3 to 4 ft. 2.50 12.75 110.00 1½ to 2 ft 1.30 6.50 57.50 4 ft 3.50 24.00 210.00 2 to 3 ft 1.75 10.00 80.00 |
| ovalifolium. Globe Form—Sheared. 10 in. diam |
| Medium, 2 ft |
| 1 yr., 12 in. head, first class |
| ovalifolium aureum. Golden Privet. 8'-9' Grows rather slowly. Each Per 10 Per 100 Each Per 10 Per 100 |
| 12 to 15 in35 3.00 24.00 18 to 24 in65 5.50 42.00 |
| Each Per 10 Per 100 12 to 15 in35 3.00 24.00 15 to 18 in50 4.00 32.00 vulgare. European Privet. 10'-12' Creamy-white flowers, |
| June–July. 1½ to 2 ft35 2.50 16.00 3 to 4 ft50 4.00 32.00 2 to 3 ft40 3.25 24.00 4 to 5 ft60 5.00 40.00 |
| HONICERA alberti. ALBERT HONEYSUCKLE. 2' Rose-pink fragrant flowers, May-June—bluish-green leaves, red berries. |
| 15 in |
| Each Per 10 Per 100 Each Per 10 Per 100 2 to 3 ft40 3.25 24.00 4 to 5 ft60 5.00 40.00 |
| 3 to 4 ft50 4.00 32.00 fragrantissima. Winter Honeysuckle. 6'-8' Fragrant white flower, April-May. Half-evergreen—graceful semi-drooping |
| habit. 2 to 3 ft50 4.00 32.00 4 to 5 ft70 6.00 50.00 3 to 4 ft60 5.00 40.00 |

| LONICERA maacki. Amur Honeysuckle. 8'-9' Large white flowers, June. scarlet berries persisting until midwinter. Each Per 10 Per 100 Each Per 10 Per 100 |
|--|
| 2 to 3 ft. \$ 40 \$3.25 \$29.00 4 to 5 ft \$ 60 \$5.50 \$50.00 |
| 3 to 4 ft 50 4.25 35.00 maacki podocarpa. Late Honeysuckle. 8'-g' Smaller pinkish flowers, better fruit than preceding, holds leaves longer. 2 to 3 ft |
| 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 ruprechtiana. Manchurian Honeysuckle. 8'-9' Creamy white flowers, June. Berries red or orange. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 standishi. Standish Honeysuckle. 4'-5' Blush flowers, fragrant |
| —April. Scarlet fruits, holds foliage well. |
| 18 to 24 in |
| thibetica. Tibetan Honeysuckle. 3'-4' 1½ to 2 ft |
| MYRICA cerifera. Southern Waxmyrtle. 4'-5' Does well in poor soil. Persisting gray berries. |
| 12 to 15 in |
| PAVIA macrostachya. (See Aesculus—trees) |
| PHILADELPHUS avalanche. AVALANCHE MOCKORANGE. 3'-4' |
| PHILADELPHUS avalanche. AVALANCHE MOCKORANGE. 3'-4' Graceful, arching habit. Blooms profusely. White flowers. 18 to 24 in40 2 to 3 ft50 3 to 4 ft60 Bouquet blanc. White Bouquetmock Orange. 3' Low dense habit. Blooms freely, May-June. Small leaves. White flowers. 18 to 24 in45 2 to 2½ ft55 3 to 4 ft70 coronarius. Sweet Mockorange. 9'-10' White fragrant flowers, May-June. |
| 2 to 3 ft |
| PHILADELPHUS coronarius aureus. Golden Leaf Mockorange. |
| 4'-5' Dwarf compact form—yellow leaves. 12 to 15 in. \$.50 18 to 24 in. \$.70 15 to 18 in. .60 2 to 2½ ft. .80 coronarius grandiflora. LARGE FLOWERING MOCKORANGE. 7'-8' |
| white nowers. |
| 2 to 3 ft |
| in Iune-Iuly. Slightly fragrant—blooms freely. |
| 2 to 3 ft |
| 18 to 24 in |
| nivalis. Snowbank Mockorange. 4'-5' White flowers. 2 to 3 ft |
| flowers |
| 2 to 3 ft |
| $2 \text{ to } 2\frac{\pi}{2} \text{ ft.} \dots 1.00$ |
| PHOTINIA villosa. RED BERRIED PHOTINIA. 8'-g' Flowers white, June, rich scarlet berries. Splendid foliage. 2 to 3 ft |
| |

| PIERIS mariana. Staggerbush. 5'-6' Waxy white flowers, May–June. |
|--|
| 18 to 24 in\$.65 2 to 2½ ft\$.80 |
| PONTENTILLA fructicosa. Shrubby Cinquefoil. 3'-4' Blooms |
| profusely, yellow, June–Sept. A very useful shrub. 18 to 24 in |
| |
| PRUNUS maritima. BEACH PLUM. 9'-10' Small white flowers, April. Purple fruits—splendid subject for sandy soil or near seashore. 3 to 4 ft |
| pissardi. (See Trees) tomentosa. Nanking Cherry. 6'-7' Fruits light red, flowers white before leaves appear. A splendid shrub. |
| $2 \text{ to } 3 \text{ ft.} \dots$ |
| PRUNUS triloba plena. Double Flowering Plum. 7'-8' Double pink flowers, April-May. Handsome and useful 2 to 3.ft |
| PYRUS arbutifolia. (See Aronia) |
| RHAMNUS caroliniana |
| 2 to 3 ft |
| 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 frangula. Glossy Buckthorn. 8'-9' Berries red, changing to black. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 |
| RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh green foliage, white flowers, May-June—black berries all winter. 18 to 24 in 65 2 to 3 ft75 3 to 4 ft 1.00 |
| RHUS canadensis (aromatica). Fragrant Sumac. 4'-5' Clusters of |
| small yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic folliage. |
| 18 to 24 in |
| 18 to 24 in |
| 12 to 18 in |
| 18 to 24 in |
| cotinus. SMOKE TREE. 10'-12' |
| 18 to 24 in |
| glabra. Smooth Sumac. 10'-12' Crimson fruits in bunches—rich |
| orstrome coloning. Theirrog in soon goilg |
| 2 to 3 it |
| glabra laciniata. Cutleaf Smooth Sumac. 4'-5' Delicately cut leaves—grows slowly. Striking crimson autumn coloring. |
| 18 to 24 in |
| 2 to 3 ft |
| 2 to 3 ft |
| typhina laciniata. Cutleaf Staghorn Sumac. 14'-15' Leaves finely cut giving attractive feathery appearance. Brilliant in autumn. |
| 2 to 3 ft |
| RIBES odoratum. GOLDEN CURRANT. 7'-8' Fragrant yellow flowers in May. Useful for under planting. |
| 2 to 3 ft |
| ROBINIA hispida. Rose Acacia. 5'-6' Attractive rosy pink flowers. May-June. Soon develops into a mass. Good for dry banks. 18 to 24 in 50 2 to 3 ft |
| |

| AMERICAN NURSERY CO. 15 |
|--|
| ROSA blanda. Meadow Rose. 4'-5' Pink, May. Almost thornless red bark. |
| humilis. Pasture Rose. 3'-4' Pink, May-June. lucida. Virginia Rose. 5'-6' Pink, June. Red decorative fruits. multiflora. Japanese Rose. 9'-10' White, June. Vigorous, free flowering and fragrant. |
| nitida. Bristly Rose. 3'-4' Deep pink, June. Good for holding banks and general mass planting—good autumn coloring. palustris (carolina). Swamp Rose. 6'-7' Pink, May-July. rubiginosa. Sweet Brian. 5'-6' Bright pink flowers, June. Good foliage with aromatic odor. |
| rubrifolia (ferruginea). REDLEAF ROSE. 5'-6' Has distinct purplishred leaves and bark—good winter subject. Prices of above. 12 to 15 in |
| rosa hugonis. Father Hugo's Rose. 2 yr |
| 1½ to 2 ft |
| vigorous. 18 to 24 in 40 2 to 3 ft 50 3 to 4 ft 60 spinosissima. Scotch Rose. 3'-4' A dainty grower but compact— branches covered with soft thorns—has attractive small foliage. 12 to 15 in 50 15 to 18 in 60 18 to 24 in |
| RUBUS odoratus. Flowering Raspberry. 5'-6' Rose colored fragrant flower produced all summer—good for covering shady banks. 2 to 3 ft |
| SAMBUCUS canadensis. American Elder. 8'-9' Fine for swampy places. Fragrant flowers, June–July, black fruits enjoyed by |
| birds. 1½ to 2 ft |
| finely cut. 2 to 3 ft |
| foliage. 2 to 3 ft |
| fruits ripen in June—very attractive. 2 to 3 ft50 3 to 4 ft60 4 to 5 ft70 racemosa. European Red Elder. 7'-8' Bright red berries. |
| 2 to 3 ft |
| arborea glabrata. Smooth False-spirea. 10'-12' |
| 4 ft |
| Δ to 3 ft |

| SPIREA arguta. Garland Spirea. 5'-6' Small light green leaves— very free flowering, May. More vigorous than Thunbergi. 12 to 15 in\$.35 15 to 18 in\$ 45 billardi. Billard Spirea. 5'-6' Bright pink fluffy flower spikes, |
|---|
| luly-lock Valuable for dry places |
| 18 to 24 in35 2 to 3 ft45 3 to 4 ft55 bumalda. Bumalda Spirea. 3' Light pink flower, July-Sept. A good "facing" shrub. |
| 18 to 24 in |
| than preceding—free flowering all summer. 12 to 15 in |
| than preceding. Flowers lighter shade of pink. 18 to 24 in |
| leaves red. |
| 2 to 2½ ft |
| Purplish-green foliage when young. Blooms freely. 12 to 15 in |
| 18 to 24 in50 2 to 3 ft60 3 to 4 ft75 opulifolia. Ninebark. $g'-io'$ Creamy white, June. Vigorous, good for shade. |
| 1½ to 2 ft .35 3 to 4 ft .50 2 to 3 ft .40 4 to 5 ft .60 opulifolia aurea. Goldleaf Ninebark. o'-10' |
| opulifolia aurea. Goldleaf Ninebark. 9-10. 2 to 3 ft |
| reevesiana. Reeves Spirea. 7'-8' Pure white, May-June. Graceful arching habit—retains leaves till late. 1½ to 2 ft40 2 to 3 ft50 3 to 4 ft65 |
| thunbergi. Thunberg Spirea. 4'-5' Slender arching branches clothed with pure-white flowers, April-May. Small feathery light green leaves. Valuable for seaside planting. 12 to 18 in |
| tomentosa. Hardhack. 3'-4' Woolly rose-pink flowers, July—Sept. Leaves brownish underside—good in masses for low ground. |
| 18 to 24 |
| van houttei. Vanhoutte Spirea. 8'-9'. White, May-June. Graceful habit—free flowering—very adaptable. 1½ to 2 ft |
| STAPHYLEA colchica. Colchis Bladdernut. 10'-12' Flowers white, May-June. Fragrant—decorative seed pods. 2 to 3 ft |
| STEPHANANDRA flexuosa. Cutleaf Stephanandra. 5'-6' Graceful compact habit—handsome foliage, similar to small maple-leaf. 18 to 24 in 50 2 to 2½ ft 60 2½ to 3 ft 70 |
| STYRAX japonica. JAPANESE STORAX. 12'-15' White bell-shaped pendant flowers, June-July. 18 to 24 in |

| SYMPHORICARPOS racemosus. Snowberry. 5'-6' Conspict | ious |
|---|--------------|
| white berries, attractive foliage—best in moist half shade. 18 to 24 in\$.40 2 to 3.ft\$.50 3 to 4 ft\$.60 | |
| vulgaris. Coralberry. 4'-5' More compact than preced Coral red berries persisting throughout winter—for shady spots. | ling. dry |
| 18 to 24 in | |
| SYRINGA chinensis (rothomagensis). CHINESE LILAC. δ'-g' Slet branches, graceful. Violet flowers in May—free flowering. 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft | nder |
| chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep pu flowers. | rple |
| 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft | |
| japonica. Japanese Tree Lilac. 18'-20' Loose bunches cree white flowers, June-July. Handsome foliage. 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft 80 | amy |
| | Has |
| josikaea. HUNGARIAN LILAC. 9'-10' Violet flowers, June. good deep green rough foliage. 18 to 24 in | |
| Handsome foliage until late autumn. Grows quickly. | une. |
| 3 ft | une, |
| persica alba. White Persian Lilac. g-10' 18 to 24 in | |
| villosa. Late Lilac. 7'-8' Pale-lilac, June. Fragrant—comp 18 to 24 in | |
| vulgaris. Common Purple I.I.Ac. 10'-12' Blooms in early M 18 to 24 in 40 2 to 3 ft 50 3 to 4 ft 65 | lay. |
| vulgaris alba. Common White Lilac. 10'-12' 18 to 24 in 50 2 to 3 ft 60 3 to 4 ft | |
| HYBRID LILACS Alphonse Lavalle. Double light purple. (own roots) Charles the Tenth. Reddish purple, single. (own roots) Michel Buchner. Double lilac. (own roots) Marie LeGraye. Single white. (own roots) Mme. Lemoine. Double white. (own roots) Mme. Casimir Perrier. Double white. (own roots) President Grevy. Double blue. (own roots) Rubra DeMarly. Single, light blue. (own roots) Ludwig Spaeth. Single, reddish purple. (own roots) Wm. Robinson. Double, violet pink. (own roots) Prices of all Hybrid Lilacs 1½ to 2 ft | |
| TAMARIX africana. African Tamarix. 12'-14' Pink, April-M. Feathery gray-green foliage. Effective near water—thrives seashore. | Iay. |
| 2 to 3 ft50 3 to 4 ft60 4 to 5 ft75 gallica. French Tamarix. 8'-9' Lt. pink, May-July; blue-gr | een |
| foliage. 2 to 3 ft | |
| flowers late. 2 to 3 ft | OSC |
| VACCINIUM corymbosum. Highbush Blueberry. 5'-6' | |
| 1½ to 2 ft | |

| VIBURNUM acerifolium. MAPLE LEAF VIBURNUM. 4'-5' White, May-June. Black fruits—leaves turn beautiful pastel shades in |
|---|
| autumn—good for dry shady places |
| 18 in \$.50 2 ft \$.60 3 ft \$.70 americanum (oxycoco). American Cranberrybush. 8'-9' White, |
| americanum (oxycoco). American Cranberrybush. 8'-9' White, |
| Bright scarlet berries persisting all winter. |
| $18 \text{ to } 24 \text{ in} \dots .55 2 \text{ to } 3 \text{ ft} \dots .70 3 \text{ to } 4 \text{ ft} \dots .85$ |
| cassinoides. WITHE-ROD. 5'-6' White, June-July. Berries pink |
| 18 to 24 in |
| 18 to 24 in 55 2 to 3 ft 70 |
| dentatum. Arrowwood. 10'-12' White, May-June. Berries blue-black, autumn coloring purple and red—thrives in wet soil. |
| black, autumn coloring purple and red—thrives in wet soil. |
| $2 \text{ to } 3 \text{ ft.} \dots$ |
| 2 to 3 ft |
| tent scarlet showy berries. Handsome and valuable. |
| 18 to 24 in |
| 2 to 3 ft |
| lantana. WAYFARING TREE. 15'-18' White, May-June. Handsome |
| dark green wrinkled leaves. Berries red, changing to black. |
| 18 to 24 in |
| 18 to 24 in |
| lantana rugosum WRINKIE LEAR WAVEARING-TREE 15'-18' |
| lantana rugosum. Wrinkle Leaf Wayfaring-tree. 15'-18' White. Has larger and more wrinkled leaves than preceding. |
| 18 to 24 in |
| lantage Navigraphy 70/ col White Merr Tune Transforms |
| lentago. Nannyberry. 18'-20' White, May-June. Handsome shining leaves. 18 to 24 in .55 3 to 4 ft .80 2 to 3 ft .65 4 to 5 ft 1.00 |
| snining leaves. Blue-black ituits. Splendid for massing. |
| 18 to 24 in |
| 2 to 3 it |
| molle. Kentucky Viburnum. 10'-12' Larger, darker green leaves, otherwise similar to "dentatum." |
| 1½ to 2 ft .50 3 to 4 ft .70 2 to 3 ft .60 4 to 5 ft .80 opulus. European Cranberry. g'-10' Similar to American Cran- |
| anylya Evponesy Champeny of rol Cimilar to American Cron |
| berry but has smaller leaves and fruit. |
| $1\frac{1}{2}$ to 2 ft55 2 to 3 ft70 3 to 4 ft80 |
| 172 to 21t |
| opulus sterile. Common Snowball. 9'-10' Has showy round head of white flowers, May-June. No fruits. |
| of white flowers, May-June. No fruits. |
| $1\frac{1}{2}$ to 2 ft |
| pubescens. Downy Viburnum. 8'-10' |
| 18 to 24 in |
| prunifolium. BLACKHAW. 10'-12' White flowers, April-June- |
| Blue-black glaucous berries. Sturdy habit. Handsome shrub. |
| 18 to 24 in |
| 18 to 24 in |
| nink changing to black Handsome large dark green leaves |
| pink, changing to black. Handsome large dark green leaves. 18 to 24 in50 2 to 3 ft65 3 to 4 ft80 |
| 10 to 21 iii 300 2 to 0 it 300 0 to 4 it 300 |
| tomentosum. Doublefile Viburnum. 7'-8' Flat heads of white flowers, June. Berries red to black. Good foliage. |
| 2 to 3 ft |
| |
| tomentosum plicatum. Japanese Snowball. 7'-8' Showy white |
| flowers in balls, June. Handsome foliage, purple in autumn. |
| 15 to 18 in |
| $1\frac{1}{2}$ to 2 ft |
| $2 	ext{ to } 2\frac{1}{2} 	ext{ ft$ |
| VITEX agnus-castus. LILAC CHASTE-TREE. 4'-5' Dainty shrub—lilac |
| flowers Aug -Sept Gray-green star-shaped leaves - profession |
| flowers, Aug.—Sept. Gray-green star-shaped leaves—prefers sun. 18 to 24 in35 2 to 3 ft45 3 to 4 ft55 |
| |
| WEIGELA Avel carriere. CARRIER WEIGELA. 8'-9' Red, yellow |
| throat, June. |
| 2 to 3 ft |
| |

| WEIGELA amabilis. Rose Weigela. 7'-8' Light Pink. |
|---|
| 1½ to 2 ft \$.40 2 to 3 ft50 3 to 4 ft \$.60 4 to 5 ft75 |
| 2 to 3 ft50 4 to 5 ft75 |
| candida. Snow Weigela. 7'-8' Large pure white flowers. 2 to 3 ft |
| Desbois. Desbois Weigela. 6'-7' Deep rose—flowers profusely. 2 to 3 ft |
| Eva Rathke. RED FLOWERING WEIGELA. 4'-5' Carmine, June-Aug. Most floriferous. 1½ to 2 ft65 2 to 2½ ft75 2½ to 3 ft85 |
| floribunda. CRIMSON WEIGELA. 7'-8' Crimson, June. Free flowering. 2 to 3 ft |
| Lavalle. Lavalle Weigela. 7'-8' Bright Crimson. 2 to 3 ft. .50 3 to 4 ft. .60 |
| nana variegata. Dwarf Variegated Weigela. 4'-5' Pale pink flower, variegated leaves. |
| 18 to 24 in |
| rosea. Pink Weigela. 7'-8' Abundant pink flowers. June Vigorous grower. |
| $1\frac{1}{2}$ to 2 ft |
| steltzneri. Steltzner Weigela. 6'-7' Dark rose—very profuse. 1½ to 2 ft |
| Vanhoutte. Vanhoutte Weigela. 7'-8' Carmine. 2 to 3 ft50 3 to 4 ft |
| ZANTHORHIZA apiifolia. YELLOWROOT. 2'-3' Good ground cover— |
| will succeed on dry sandy soil, banks, etc. 12 to 15 in |

Bush Roses

Each \$.85 Per 10 \$7.25 Per 100 \$65.00

Amelie de Grieff, light pink. Augustus Hartman, red. Betty, yellowish pink. Columbia, dark pink. Constance, yellow. Crimson Queen, red. Dora Hansen, lt. pink. Duchess of Wellington, yel. Etoile de France, red. Florence Pemberton, lt. pink. Gen. McArthur, red. George C. Waud, red. Gruss an Teplitz, red. Gustav Grunevald, dark pink. Harry Kirk, yellow. Hoosier Beauty, red. H. V. Machin, red.
Jonkheer J. L. Mock, dk. pink.
Kaiserine A. Victoria, white.
Killarney Queen, dark pink. Lady Alice Stanley, dk. pink. La Detroit, pink. Lady Hillingdon, yellow. Lady Pirrie, yellow shaded pink. Lady Ursula, It. pink. La Tosca, lt. pink.

Los Angeles, yellow shaded pink. Louis Catherine Breslau, yellow shaded pink. Mad. Butterfly, lt. pink. Mad. C. Testout, dark pink. Mad. Edmee Metz, lt. pink. Mad. E. Herriot, yellow shaded pink.

Mad. Jules Bouche, white. Madam Ravary, yellow. Milady, red. Miss Cynthia Forde, dk. pink. Miss Lolita Armour, yellow shaded pink.
Mrs. Aaron Ward, yellow. A. R. Waddell, yellow shaded pink. Mrs. Charles Russell, dk. pink. Mrs. W. C. Miller, dk. pink. Ophelia, lt. pink. Radiance, dark pink. Red Radiance, red. Souv. de C. Pernet, yellow. \$1.00 each. White Killarney, white.

Hybrid Perpetual Roses

Frau Karl Druschki, White. George Ahrends, Pink. Magna Charta, Dark pink. Mrs. John Laing, Dark pink. Paul Neyron, Dark pink. Ulrich Brunner, Red.

Baby Ramblers

Edith Cavell, Crimson. Geo. Elgar, Yellow. Mrs. Cutbush, Pink. Orleans, Red. White Baby Rambler. Red Baby Rambler. Lafayette, Red. Yvonne Rabier, White.

Climbing Roses

Each .75 Per 10 6.75 Per 100 60.00

American Beauty, Carmine
American Pillar, Single red,
white center.
Crimson rambler, Crimson.
Dr. Van Fleet, Shell pink.
Dorothy Perkins, Pink.
Dorothy Perkins, White.

cover in shade.

Excelsa, Crimson.
Gardenia, Yellow.
Hiawatha, Single red.
Paul's scarlet climber, Large brilliant scarlet.
Silver moon, Semi-double white.

Vines

| vines |
|--|
| ACTINIDIA arguta. Bower Actinidia. 20'-30' Greenish white, July. Rich dark green foliage—yellow berries. 2 to 3 ft\$.65 3 to 4 ft\$.75 |
| AKEBIA quinata. Fiveleaf Akebia. 15'-20' Dainty beautiful vine, purple flower, May. Deep green leaves—persisting till winter. 3 yr |
| AMPELOPSIS engelmanni. Englemann Creeper. 30'-40' A good self clinging woodbine—very hardy. 2 yr |
| autumn coloring. 2 yr |
| BIGNONIA radicans. TRUMPET CREEPER. 20'-30' Showy trumpet shaped flowers—scarlet and orange, July. Roots as it climbs. 1 yr |
| winter. 2 yr |
| CLEMATIS paniculata. Sweet Autumn Clematis. 20'-30' White fragrant flowers, Sept. 2 yr, No. 240 2 yr, No. 150 3 yr, No. 160 |
| EUONYMUS. (See Evergreens) |
| HEDERA helix. English Ivy. 20'-50' Evergreen—good ground |

| LONICERA japonica (brachypoda). JAPANESE HONEYSUCKLE. 15'-20' Rapid grower and blooms freely from June to Sept. Useful for covering steep banks. Almost evergreen. |
|--|
| 3 yr |
| 2 yr |
| heckrotti. Everblooming Honeysuckle. 15'-20' Flowers purple |
| 2 yr |
| |
| LYCIUM barbarum. Matrimony-vine. 10'-12' Violet flowers in June, bright red fruits. For banks and walls. 18 to 24 in |
| fruitful than preceding, otherwise similar in habit. 18 to 24 in |
| PUERARIA thunbergiana. Kudzu-vine. 40'-50' Growth remarkably rapid. Purple flowers in August. 1 yr |
| WISTERIA frutescens. AMERICAN WISTERIA. 20'-25' Lilac purple |
| flowers in short clusters in June. 2 to 3 ft |
| 18 to 24 in |
| 1½ to 2 ft65 2 to 3 ft75 3 to 4 ft90 sinensis alba. White Chinese Wisteria. 40'-50' 18 in65 2 to 3 ft75 3 ft |
| |
| Conifers and Evergreens |
| These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a **. |
| ABIES cephalonica. GREEK FIR. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen. |
| 2½ ft\$4.00 concolor. White Fir. 70′-80′ Grows quickly and forms symmetrical beautiful specimen. Large gray-green needles. |
| cal beautiful specimen. Large gray-green needles. 18 in\$3.25 2½ ft 5.75 2 ft 4.50 3 ft 7.25 douglasi (pseudotsuga). Douglas Fir. 70′-80′ Very hardy, dark |
| douglasi (pseudotsuga). DOUGLAS FIR. 70'-80' Very hardy, dark bluish-green coloring. 1½ ft. 2.50 3 ft. 5.25 2 ft. 3.25 3½ ft. 7.25 2½ ft. 4.00 |
| norumanniana. NORDMANN FIR. 00'-70' Grows slowly when young. |
| Flat leaves, rich shining green above, silvery white beneath. 2 ft4.75 2½ ft 6.50 3 ft 8.00 |

ANDROMEDA catesbaei (See Leucothoe and Pieris)

| AZALEA amoena. Japanese Azalea. 2½′-3′ Conspicuous purple-red flowers, April-May. Leaves turn rich bronze-green in winter. 6 to 8 in**. \$1.00 10 to 12 in \$1.75 8 to 10 in** 1.25 12 in 2.00 hinodegiri. Red Japanese Azalea. (Pot grown) 3′-4′ Larger leaves and looser growth than above, flowers very bright carmine-pink—effective in masses or with Rhododendron. 6 to 8 in.** 1.35 10 in 2.25 8 to 10 in 1.75 12 in 2.50 kaempferi. (See Shrubs) |
|--|
| BERBERIS ilicifolia. Holly Barberry. 5'-6' Holly-like leaves persisting till new foliage appears—flowers yellow. 15 to 18 in |
| BIOTA orientalis. ORIENTAL ARBORVITAE. 20'-25' Stiff columnar habit, bright green foliage, bronze in winter, good accent plant. 15 to 18 in 1.00 3 ft 4.00 1½ ft 1.25 3½ ft 4.75 2 ft 1.75 4 ft 6.00 2½ ft 2.75 |
| orientalis aurea conspicua. GOLDSPIRE ARBORVITAE. 7'-8' Bright golden yellow in spring, bronze yellow in winter. Narrow upright growth. 15 in. 2.00 2½ ft. 5.25 18 in. 2.50 3 ft. 7.25 2 ft. 4.00 |
| orientalis compacta. Siebold Arborvitae. 3'-4' Forms a compact oval-shaped specimen. Good fresh green color. 12 in |
| columnar. 15 in |
| edging. 6 to 8 in. 1.25 12 in. 2.00 8 to 10 in. 1.50 15 in. 2.50 10 to 12 in. 1.75 18 in. 4.00 |
| BUXUS sempervirens. Box. (Bush form) 12'-15' Useful for formal hedges. Each Per 10 Per 100 |
| 8 to 10 in.**bushy .65 5.75 40.00 10 in. ** " .90 7.25 47.50 12 in. ** " .1.25 9.75 72.50 15 in. " .1.50 11.50 105.00 18 in., sheared .4.75 2 ft., sheared .6.50 |
| japonica globes. (clipped) 16 to 18 in9.75 18 to 20 in11.50 20 to 22 in 13.75 |
| Pyramidal. (clipped) 28 in |
| suffruticosa. Truedwarf Box. 3'-4' Extensively used for edging. Per 10 Per 100 |
| 3 in. ** 1.75 9.75 4 in. ** 2.50 14.50 6 in. ** 5.75 24.00 8 in. ** 8.00 57.50 10 in. ** 12.00 80.00 |

| CALLUNA. SCOTCH HEATHER. 1'-2' A splendid evergreen ground cover. Best in large masses on well-drained slopes. Each Per 10 Per 100 |
|---|
| vulgaris alba. WHITE HEATHER vulgaris alporti. 6 to 8 in.**\$,40 \$3.50 \$32.50 \$32.50 8 to 10 in.** 5.0 4.00 35.00 \$35.00 10 to 12 in.** 6 to 8 in.** |
| CHAMAEDAPHNE calyculata. Leatherleaf. 3'-4' White flowers in April. Leaves persist throughout winter. Attractive, useful. 12 to 15 in 1.25 15 to 18 in 1.75 18 to 24 in 2.25 |
| COTONEASTER acutifolia. Peking cotoneaster. 5'-6' 1½ to 2 ft |
| microphylla. ROCKSPRAY. 1½'-2' Very small leaves, very deep green. 12 in 1.00 18 in 1.40 15 in 1.25 2 ft 1.75 simonsi. 6'-8' Almost evergreen. Rather loose habit. 1.75 15 in 1.00 18 in 1.35 2 ft 1.75 |
| |
| CRYPTOMERIA lobbi compacta. CAVE CRYPTOMERIA. 15'-20' Forms narrow irregular column—compact and picturesque. Rich winter color, bronze-green. Prefers moist well-drained location. 18 in 2.50 2 ft 3.25 2½ ft 4.50 |
| DAPHNE cneorum. Rose Daphne. I' Gray-green foliage—low spreading. Pretty pink flowers in April-May. Delightful fragrance. 8 in |
| EUONYMOUS japonica. JAPANESE EUONYMUS. 5'-6' Lustrous deep deep green leaves. 8 to 10 in.** .55 12 to 15 in. 1.25 10 to 12 in.** .80 15 to 18 in. 1.50 |
| patens (sieboldianus.) Spreading Euonymus. 6'-8' Vigorous grower, forming broad, rather loose shrub, leaves persisting until late winter. Ornamental fruits. Effective among denser confers |
| 12 in.** |
| radicans. WINTERCREEPER. Climbing to 15 ft. Self-clinging vine. Good for covering low walls, also useful for under planting. 8 to 12 in.** 2 yr. bushy .35 12 to 15 in.** 2 yr., bushy .50 |
| radicans acutus. Sharpleaf Wintercreeper. A graceful form with long, narrow leaves, white veins, purplish underneath. 15 in., 2 yr.** |
| radicans carrierei. Glossy Wintercreeper. Large, shiny, pointed leaves. 12 to 15 in.** 2 yr |
| radicans minimus. BABY WINTERCREEPER. 2'-3' Has tiny evergreen leaves and a dainty trailing habit. Charming rock subject. |
| 6 to 8 in |
| radicans vegetus. BIGLEAF WINTERCREEPER. 3'-4' Bushy interesting growth. Leaves round, dull green. Bright scarlet fruits freely produced. Handsome among evergreens. 12 to 15 in.** 2 yr |
| radicans vegetus. (Grown from seedlings). Does not fruit so freely, 3 vr. ** |

| ILEX crenata. JAPANESE HOLLY. 8'-10' Box-like leaves, rich dee green and leathery. Stiff, branching—a good hedge. Blackberries. |
|---|
| 15 in\$2.00 18 in\$2.50 2 ft\$3.75 crenata microphylla. SMALL LEAF JAPANESE HOLLY. 6'-8' Smalle leaves and more hardy than preceding. More compact habit 15 in |
| 12 in 1.25 15 in 1.75 18 in 2.00 opaca. American Holly. 25'-30' Does best in moist partially shaded place. Rather difficult to transplant. 2 ft 4.00 3 ft 6.50 2½ ft 4.75 3½ ft 8.00 |
| JUNIPERUS canadensis. (See Communis.) chinensis. Chinese Juniper. 15'-20' Formal columnar outline gray-green foliage of two types. 18 in 2.50 2 ft 3.25 2½ ft 4.00 chinensis albo variegata. White Leaf Chinese Juniper. 6'-8 |
| chinensis albo variegata. WHITE LEAF CHINESE JUNIPER. 6'-8 Light glaucous foliage with creamy branches interspersed Formal but useful in low plantings. 12 in. 1.85 2 ft. 3.75 15 in. 2.25 2½ ft. 4.75 18 in. 2.75 |
| chinensis columnaris. Columnar Chinese Juniper. Grows rapidly forming tall, narrow column of gray-green foliage. Spire-lik effect. Very useful in evergreen planting. 2 ft 4.00 2½ ft 4.75 3 ft 5.75 |
| chinensis neaboriensis. Conical Chinese Juniper. 7'-8' Ver formal narrow pyramid. Prickly leaves. Useful accent plant 18 in |
| chinensis oblonga. $7'$ - $8'$ Forms broad irregular pyramid with feath ery branches. Grayish foliage shaded purple in winter. 15 in 1.75 $2\frac{1}{2}$ ft 4.50 18 in 2.50 3 ft 6.00 2 ft 3.75 |
| chinensis pfitzeriana. Pfitzer Juniper. 5'-6' Broad bushy habit Gray-green foliage giving feathery appearance. A most adapt able hardy evergreen, highly recommended. |
| 1½ ft |
| communis. Common Juniper. 2'-2½' Forms a vase-shaped bush 12 to 15 in. 1.25 18 to 24 in. 2.25 15 to 18 in. 1.75 2 ft. 3.25 |
| communis aurea. Golden Common Juniper. 1'-1½' Low spreading habit. Golden foliage, particularly bright in spring. 12 in 1.75 15 in 2.50 18 in 2.75 |
| communis canadensis. Canada Juniper. 2½'-3' Forms low vase shaped bush. Leaves dark green above, bluish beneath. 12 in. 1.35 2 ft. 3.25 15 in. 1.85 2½ ft. 4.00 18 in. 2.50 |
| communis cracovica. Polish Juniper. 4'-5' Upright, branching from ground, making very narrow column. 12 in 1.75 15 in 2.00 18 in 2.50 |

| JUNIPERUS communis hibernica. Irish Juniper. 7'-8' A very narrow |
|--|
| , carried beautiful and a series of the seri |
| nyramid Useful for its spire-like effect |
| pyramid. Useful for its spire-like effect. |
| 12 in \$1.00 2 ft \$2.25 15 in 1.25 2½ ft 2.75 |
| 15 in |
| 18 10 1.73 |
| communis depressa. Prostrate Juniper. 1'-11/2' Branches spread almost along ground—a usful ground cover and rock plant. |
| almost along ground—a usful ground cover and rock plant. |
| 12 in |
| 12 in. 1.25 2 ft. 2.75 15 in. 1.75 2½ ft. 4.50 |
| 18 in 2.00 |
| communis suecica nana. Dwarf Swedish Juniper. 3'-31/2' A |
| communis suecica nana. DWARF SWEDISH JUNIPER. 3'-3½' A |
| narrow compact column of slow growth. |
| 12 in |
| 15 in 2.00 2 ft 3.25 |
| conferta (litoralis). Shore Juniper. $I'-I'_2$ Prostrate habit, use- |
| 15 in 2.00 2 ft 3.25 conferta (litoralis). Shore Juniper. $I'-I'/2'$ Prostrate habit, useful on sandy places or seaside planting. Large leaves. |
| 15 in |
| 15 in |
| shand premised Religious group Most useful for formal |
| shaped pyramid. Pohage gray-green. Wost useful for format |
| effects. |
| 10 in |
| 12 in 2.00 2 ft 4.75 |
| 10 in 1.75 18 in 4.00 12 in 2.00 2 ft 4.75 15 in 2.50 2½ ft 5.75 sabina horizontalis. CREEPING JUNIPER. 1'-1½' Branches trail |
| sabina horizontalis. Creeping Juniper. 1'-11' Branches trail |
| along ground. Good for rockwork and ground covering. |
| 15 in 175 18 in 225 2 ft 325 |
| 15 in 1.75 18 in 2.25 2 ft 3.25 horizontalis douglasi. WAUKEGAN JUNIPER. 1'-11/2' Long branches |
| indicates unuglasi. WAUREGAN JUNIPER, 1-1/2 Long Dianches |
| trailing along ground. Steely-blue foliage. A splendid ground |
| cover, also effective among rock. Distinct purple hue in winter. 12 in 1.75 15 in 2.50 18 in 3.25 japonica. Japanese Juniper. 3'-4' Low grower, spreading branches, |
| 12 in 1.75 15 in 2.50 18 in 3.25 |
| japonica. Japanese Juniper. 3'-4' Low grower, spreading branches, |
| dark green scaly leaves. Adapted to rock planting. |
| 8 to 10 in |
| japonica aurea variegata. Golden Variegated Juniper. 2'-21/2' |
| Useful for low plantings. |
| 12 in 2.00 15 in 2.50 18 in 2.75 |
| 12 iii 2.00 13 iii 2.00 10 iii 2.73 |
| sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches |
| forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 |
| 12 in 1.75 15 in 2.25 18 in 3.25 |
| |
| sabina tamariscifolia. TAMARIX JUNIPER. $I'-I^{1/2}$ Flat, spreading, |
| sabina tamariscifolia. Tamarix Juniper. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. |
| sabina tamariscifolia. Tamarix Juniper. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. |
| sabina tamariscifolia. Tamarix Juniper. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. |
| sabina tamariscifolia. Tamarix Juniper. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. |
| sabina tamariscifolia. Tamarix Juniper. $i'-i\frac{1}{2}$ Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in 1.75 15 to 18 in 2.00 12 to 15 in 2.00 18 in 4.00 virginalis globosa. Globe Chinese Juniper. $i\frac{1}{2}-2$ Thin round |
| sabina tamariscifolia. Tamarix Juniper. $I'-I\frac{1}{2}'$ Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. Tamarix Juniper. $I'-I\frac{1}{2}'$ Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. $I\frac{1}{2}'-2'$ Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. |
| sabina tamariscifolia. Tamarix Juniper. $t'-t\frac{1}{2}'$ Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. $t\frac{1}{2}'-2'$ Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 |
| sabina tamariscifolia. Tamarix Juniper. $I'-I\frac{1}{2}'$ Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. $I\frac{1}{2}'-2'$ Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar, $25'-30'$ Forms a dense column, deep green |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. Cannart Cedar. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. Cannart Cedar. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. Cannart Cedar. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redeedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CAnnart Cedar. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.50 virginiana elegantissima. GOLDTIP REDCEDAR. 10'-12' Bright yellow |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.50 virginiana elegantissima. GOLDTIP REDCEDAR. 10'-12' Bright yellow tips to |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. Cannart Cedar. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.50 virginiana elegantissima. Goldtip Rededar. 10'-12' Bright yellow tips to b |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |
| sabina tamariscifolia. TAMARIX JUNIPER. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. I'/2'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.50 3 ft. 8.00 3 ft. 8.00 3 ft. 5.75 2 ft. 2.05 5 ft. 8.00 3 ft. 5.25 2/2 ft. 3.75 4 ft. 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 |
| sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in |

| JUNIPERUS virginiana pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over giving a picturesque effect. 2½ ft\$3.25 3 ft\$4.75 3½ ft\$6.00 virginiana schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit. 2 ft 2.75 2½ ft 3.75 3 ft 5.25 virginiana tripartita. Fountain Redcedar. 4'-5' A bushy half upright grower with feathery branches. 2 ft 3.25 2½ ft 4.50 3 ft 5.75 waukegan. (See Horizontalis Douglasi) |
|--|
| KALMIA latifolia. MOUNTAIN LAUREL. $5'-7'$ Nursery Grown. Most effective in June when the clusters of pink flowers open. Good foliage, likes shade. 12 to 18 in 1.75 2 to $2\frac{1}{2}$ ft 2.75 18 to 24 in 2.50 2 $\frac{1}{2}$ to 3 ft 3.75 Collected stock—price on application. |
| LEUCOTHOE catesbaei. Drooping Leucothoe. 3'-4' Attractive white flowers, May. Handsome lustrous leaves, rich autumn color. Splendid for under planting in shade. 12 to 18 in 1.35 18 to 24 in 2.00 2 to 2½ ft 2.50 |
| LEIOPHYLLUM buxifolium. Sandmyrtle. 18" Small pale pink flower in June Leaves are small. Good ground cover or rock plant. 8 to 10 in 1.25 10 to 12 in 2.00 12 to 15 in 2.50 |
| MAHONIA aquifolium. Oregon Hollygrape. 4'-5' Shining green leaves, rich scarlet in autumn. Yellow flowers in May. Best in half shade. 12 in |
| PICEA canadensis. White Spruce. 50'-60' Silvery foliage—develops into shapely specimen of close texture. 12 in |
| PIERIS japonica. Japanese Andromeda. 4'-5' Thick shiny leaves turning bronze in winter. Drooping clusters of small white flowers open in May. Grows slowly—best in moist, partially shaded place. 12 in |
| fioribunda. MOUNTAIN ANDROMEDA. 4' Waxy white flowers in May. Good deep green foliage, best in half-shady places, very hardy. 12 in |

| PINUS austriaca (nigra). AUSTRIAN PINE. 60'-70' Rich dark green, |
|--|
| vigorous, dense grower. Good for background—thrives at seashore. |
| 2 ft\$2.50 2½ ft\$3.25 3 ft\$4.75 cembra. Swiss Stone Pine. 20'-25' Thin bluish-green needles and close growth give soft texture. Symmetrical blunt pyramid |
| cembra. Swiss Stone Pine. 20'-25' Thin bluish-green needles and |
| close growth give soft texture. Symmetrical blunt pyramid |
| when young. Grows slowly. 12 in |
| 12 in |
| 15 in 3.25 2 ft 5.75 |
| densifiora. Japanese Red Pine. 40'-50' Long bright-green needles |
| |
| 1½ to 2 ft 2.00 2½ to 3 ft 3.00 2 to 2½ ft 2.50 3 to 4 ft 4.50 |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2.50 3 \text{ to } 4 \text{ ft.} \dots 4.50$ |
| densifiora umbraculifera. Japanese Umbrella Pine. 3'-4' A dwarf variety in which the branches form a flat-topped table-like |
| dwarf variety in which the branches form a flat-topped table-like |
| bush. Rather curious but a useful dwarf pine. |
| 12 in 3.25 15 in 4.75 18 in 6.50 flexilis. Limber Pine. 30'-40' Bluish or dark-green leaves. Good |
| nexilis. Limber Pine. 30'-40' Bluish of dark-green leaves. Good |
| for rocky places. Grows slowly. |
| 18 in |
| Tit |
| hush Useful for real planting and foundation work |
| 19 in 2.25 19 in 4.00 |
| 15 in 9.75 9 ft 5.75 |
| for rocky places. Grows slowly. 18 in |
| hrown harle Vigorous symmetrical groups |
| 9 ft 9 50 9 1/ ft 2 95 2 ft 4 75 |
| 2 ft. 2.50 2½ ft. 3.25 3 ft. 4.75 rigida. PITCH PINE. 40'-50' Irregular, picturesque habit. Useful |
| for dry poor soil and seashore planting—quick grower |
| for dry, poor soil and seashore planting—quick grower. 2½ ft |
| 3 ft 3.25 5 ft 5.75 |
| strobus. White Pine. 80'-100' Probably our most adaptable and |
| useful nine Very nicturesque when old |
| useful pine. Very picturesque when old. 2 ft 2.00 2½ ft 2.75 3 ft 4.00 |
| sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted |
| sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted needles. Does well on poor soils. Picturesque when old. |
| 2 ft 2.00 2½ ft 2.75 3 ft 4.00 |
| |
| RETINOSPORA ericoides. HEATH RETINISPORA. 3'-4' Has heather- |
| like leaves, giving woolly effect. Forms a round, broad bush. |
| 12 in |
| 15 in |
| 12 in. 1.10 2 ft. 3.25 15 in. 1.75 2½ ft. 4.50 18 in. 2.00 |
| lentoclada. Ander v Cypress 5'-6' Broadly columnar habit branch. |
| ing from ground. Bluish-green foliage. |
| ing from ground. Bluish-green foliage. 18 in 2.50 2 ft 3.25 2½ ft 4.00 |
| obtusa. HINOKI CYPRESS. 15'-20' Dark green lustrous foliage—grows slowly. Forms beautiful specimen—fern-like branches. 15 to 18 in. 2.00 2½ ft. 4.50 1½ to 2 ft. 2.75 3 ft. 5.75 |
| grows slowly. Forms beautiful specimen—fern-like branches. |
| 15 to 18 in |
| $1\frac{1}{2}$ to 2 ft |
| 2 10 |
| obtusa compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful for foundation. |
| shape—good green during winter. Useful for foundation. |
| 12 in 1.75 15 in 2.75 18 in 4.00 |
| obtusa crippsi. CRIPPS GOLDEN CYPRESS. 10'-12' Particularly |
| good golden leaved form. Slow growing—hardy. |
| 12 in 2.00 15 in 2.50 18 in 2.75 |
| obtusa gracilis. SLENDER HINOKI CYPRESS. 12'-15' Narrow irregu- |
| lar pyramid rich dark green foliage Slow grower |
| lar pyramid, rich dark green foliage. Slow grower. 15 in |
| 18 in |
| obtusa gracilis compacta. Compact Hinoki Cypress. 4'-5' Very |
| slow and compact grower Roughly pyramid in outline |
| slow and compact grower. Roughly pyramid in outline. 15 in 2.75 18 in 4.00 2 ft 5.25 |
| 20 m., |

| 20 IIIIBRIOIII I | TOROBICI CO. |
|---|--|
| RETINOSPORA obtusa nana. I Forms a dense irregular li | DWARF HINOKI CYPRESS. 2'-2½' ttle mass, interesting and useful |
| for rock gardens. | |
| obtusa nana aurea. Dwarf Gor | 10 in\$2.50 LDEN HINOKI CYPRESS. 2'-2½' A ding. |
| obtusa youngi. YOUNG GOLDEN. | 2.75 18 in 4.00 Hinoki Cypress. 12'-15' Graceful t light yellow foliage on outside of |
| bush. 15 in | 2½ ft 4.75 3 ft 5.75 |
| 15 in 2.00 | 35' Quick grower, loosely pyramidal. 2½ ft |
| 2 ft | 3 ft 5.75 |
| vellow especially in spring. | A CYPRESS. 25'-35' Foliage bright Branches droop when older. 2½ ft |
| 2 ft 4.00 | 2½ ft 4.75 3 ft 6.00 |
| plumosa. Plume Cypress. 25 texture. Useful for shearing | 5'-35' Forms a dense cone of fine into formal shapes. |
| 15 in. 2.00 1½ ft. 2.50 2 ft. 3.25 | ng into formal shapes. 2½ ft |
| plumosa aurea. Golden Plum leaves. | ME CYPRESS. 20'-25' Has yellow |
| 18 in., bushy 2.75 | 2 ft. bushy 4.00 2½ ft |
| Forms a low broad round-branchlets. | YELLOW PLUME CYPRESS. 2½'-3-topped bush; bright yellow tipped |
| 12 in | 15 in |
| branches and bright greer 12 in | 5'-20' Has long, stringy, drooping of foliage—graceful and decorative 2 ft |
| 15 in 2.00 18 in 2.75 | 2 ft. 4.50 2½ ft. 5.25 3 ft. 8.00 |
| spicuous golden vellow. (| Cypress. 10'-12' Very bright con- Grows more slowly than preceding 15 in |
| filifera aurea nova. VARIEGATED are variegated green and ye 15 in | THREAD CYPRESS. 10'-12' Branches ellow. |
| squarrosa veitchi. VEITCH Mos | 18 in |
| gray, feathery and dense, g pyramidal outline when you 12 in 1.75 15 in 2.00 1½ ft., bushy 2.75 | ing. 2 ft., bushy 3.75 2½ ft |
| 1½ ft., bushy 2.75 squarrosa sulphurea. Sulphur | 3 ft. 6.50 Moss Cypress. 20'-25' Similar in |
| growth to Veitch's but has 12 in 1.75 15 in 2.00 | light yellow tips. 2 ft |
| grant foliage purplish in wir | ular slender outline, bluish-gray fra nter. Valuable for low marshy places |
| 3 ft | 4 ft |
| | |

All our Rhododendrons are compact NURSERY GROWN plants. Prises on collected stock will be given on application.

| RHODODENDRON. HYBRID RHO Album elegans | dodendron. 3'-8' |
|--|---|
| Album grandiflorum. Atrosanguineum. Boule de neige. | 2 ft. \$6.00 2½ ft. 8.00 3 ft. 10.00 3½ ft. 12.00 4 ft. 15.00 |
| Catawbiense grandiflora alba. Delicatissimum. Everestianum. Lee's Dark purple. | 3½ ft. 12.00 4 ft. 15.00 4½ ft. 18.00 5 ft. 21.00 |
| The state of the s | |
| carolinianum. CAROLINA RHODO May-June. Compact, bush 12 to 18 in | DDENDRON. $4'-6'$ Pink flowers, y. Best in moist, shady places. 2 to $2\frac{1}{2}$ ft 4.00 $2\frac{1}{2}$ to 3 ft 5.25 ENDRON. $6'-9'$ Large rosy-purple een leaves, prefers half-shade. 2 to $2\frac{1}{2}$ ft 4.00 $2\frac{1}{2}$ to 3 ft 4.50 PRON. $8'-12'$ Beautiful light pink by-June. Large, handsome foliage. |
| catawbiense. CATAWBE RHODODI | ENDRON. $6'-9'$ Large rosy-purple |
| 12 to 18 in 2.75 18 to 24 in 3.75 | een leaves, prefers half-shade. $\frac{2}{2}$ to $\frac{2}{2}$ ft 4.00 $\frac{2}{2}$ to $\frac{3}{2}$ ft 4.50 |
| most offortive in masses | J8-,8-, |
| 1 to 1½ ft. 2.00 1½ to 2 ft. 2.50 2 to 2½ ft. 3.25 | 2½ to 3 ft 4.00 3 to 4 ft 4.75 4 to 5 ft 6.75 |
| TAXUS baccata. Shortleaf Engli Stiff dark green leaves crowde | SH YEW. 3'-5' Compact, upright. ed on branches. |
| leaves | compact form, short deep-green |
| horizontal branches, dark bli | 18 in 3.25 ENGLISH YEW. 1½'-2' Spreading de-green leaves. Valuable for low |
| 12 in 2.00 15 in | 2.75 18 in 4.00 2½′ Spreading habit, bronzy in for underplanting. |
| cuspidata. JAPANESE YEW. 4'- green leaves. Spreading, planting. | for underplanting. 15 in |
| 12 in | |
| cuspidata brevifolia. DWARF JA leaves, blackish green. Slow 8 in | PANESE YEW. 2'-3' Broad thick growing, irregular spreading. 15 in |
| 10 in., bushy 1.90 12 in 2.25 | 18 in 4.50 |
| plant Amenable to clinning | ter coloring. Good accent or neage |
| 2 ft. 2.25 2½ ft. 2.75 occidentalis columbia. Columbia tipped with silvery white. F 18 in. 2.75 2 ft | 3 ft. 3.75 3½ ft. 4.75 4 ft. 6.50 A ARBORVITAE. 6'-10' Branches 'ormal narrow pyramid. 3.75 2½ ft. 4.75 |
| | |

| THUJA occidentalis compacta. Parsons Dwarf Arborvitae. $2\frac{1}{2}'-\frac{1}{4}'$ Almost globe shaped. Bright green. Useful in formal or founda- |
|---|
| tion planting. |
| 12 in \$1.75 15 in \$2.00 18 in \$2.75 occidentalis douglasi aurea. Douglas Golden Arborvitae. 10'-15' |
| A broad pyramid with golden green foliage. |
| 18 in. 2.75 3 ft. 5.75 2 ft. 3.75 3½ ft. 8.00 |
| 2½ ft |
| Branches tipped with yellow. Rich lustrous green otherwise. 18 in |
| 2 ft |
| occidentalis ellwangeriana. Tom Thumb Arborvitae. 4'-6' Has heather-like leaves—dense habit—soft, close texture. Forms low broad blust pyramid. Rich purple winter coloring |
| 12 in |
| 1/2 1t |
| occidentalis globosa. Globe Arborvitae. 2½′ −3′ Useful in formal work. Naturally globe shaped. |
| 10 in. 1.35 15 in. 2.25 12 in. 1.75 18 in. 2.75 |
| occidentalis hoveyi. Hovey Arborvitae. 3'-4' Oval in shape, nearly as broad as high. Bright green foliage. 12 in 1.75 15 in 2.00 18 in 2.50 |
| 12 in 1.75 15 in 2.00 18 in 2.50 occidentalis lutea. Geo. Peabody Arborvitae. 10'-15' Conspicu- |
| ous golden yellow form. Columnar outline. |
| ous golden yellow form. Columnar outline. 15 in. 1.75 2½ ft. 4.50 18 in. 2.50 3 ft. 5.75 2 ft. 3.25 |
| occidentalis plicata. Moss Arborvitae. 10'-20' Rich deep blue- |
| green foliage. Short, stiff fern-like branches give pleasing effect in light and shade. Formal pyramid. |
| 18 in. 1.85 3 ft. 4.00 2 ft. 2.00 3½ ft. 5.25 2½ ft. 2.75 4 ft. 6.50 |
| 2½ ft |
| bright green coloring throughout winter. Narrow columnar |
| 18 in 1.75 3½ ft 5.25 2 ft 2.00 4 ft 6.75 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| occidentalis rosenthali. Rosenthal Arborvitae. 6'-10' Dense |
| rugged columnar form. Slow grower. 12 in 1.85 2 ft 2.75 15 in 2.00 2½ ft 4.00 |
| 18 in |
| occidentalis spaethi. Spaeth Arborvitae. 2½'-4' Two kinds of leaves—heathlike and scaly. Interesting and distinct. 12 in 1.25 15 in 1.75 18 in 2.00 |
| occidentalis umbraculifera. Umbrella Arborvitae. 2'-3' Particularly good—low mushroom shaped form with rich green |
| foliage. 12 in 2.00 15 in 2.75 18 in 3.25 |
| occidentalis vervaeneana VERVAENE ARROPVITAE 8'-12' Varie- |
| occidentalis vervaeneana. Vervaene Arborvitae. 8'-12' Variegated greenish yellow foliage, bronzy in winter—broadly pyramidal. |
| 18 in. 2.00 2½ ft. 3.25 2 ft. 2.50 3 ft. 4.50 |

| THUJA occidentalis vervaeneana aurea. Golden Vervaene |
|--|
| Arborvitae' $8'-12'$ A more intense yellow than preceding. |
| 2½ ft\$4.75 3½ ft\$9.50 |
| 3 ft |
| wareana (siberica.) SIBERIAN ARBORVITAE. 12'-15' Light green |
| fleshy foliage. Broadly pyramidal, rugged in appearance. |
| 15 in |
| 1½ ft |
| 2 ft 2.75 |
| TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and |
| adaptable, the spreading horizontal branches making effective |
| shadow effects. Useful as clipped hedge or informal planting. |
| 18 in |
| 18 in |
| caroliniana. Carolina Hemlock. 50'-60' A particularly fine ever- |
| green with horizontal branches and thick green leaves—very |
| hardy. |
| 18 in 3.25 2 ft 4.75 2½ ft 6.50 |
| VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large |
| oblong leaves, deep green above, gray beneath—a bold handsome |
| |
| shrub. |
| 12 to 18 in |
| YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves. |
| Tall flower spikes grow up quickly in June-July. Numerous |
| creamy flowers and general appearance give tropical effect. |
| Useful for massing with either evergreens or shrubbery. |
| Each Per 10 |
| 2 yr.** |

Hardy Herbaceous Perennials

| * indicates plants suitable for rockery or alpine gardens. | | | | |
|---|-------|--------|---------|--|
| ACHILLAE ageratum. SWEET YARROW. 2' | Each | Per 10 | Per 100 | |
| Yellow, June-Sept | \$.25 | \$2.00 | \$16.00 | |
| ptarmica Boule de niege. YARROW. 18" | | | | |
| White, June-Sept | .25 | 2.00 | 16.00 | |
| White, June–Sept* *tomentosa. Wooly Yarrow. I' Yellow, | | | | |
| June-Sept | .25 | 2.00 | 16.00 | |
| June-Sept | | | | |
| 2½' Dark blue, Sept-Oct | .40 | 3.00 | 29.00 | |
| *AETHIONEMA coridifolium. Lebanon | | | | |
| STONECRESS. I' Pink, June | .40 | 3.00 | 25.00 | |
| ALTHAEA. HOLLYHOCK. 5' Assorted. single | | | | |
| and double, July-Aug | .25 | 2.00 | 16.00 | |
| *ALYSSUM. saxitale compactum. DWARF | | | | |
| Goldentuft, 1' Yellow, April-May. | .25 | 2.00 | 16.00 | |
| ANCHUSA italica. ITALIAN BUGLOSS. 4' | | | | |
| Blue, June-Sept | .35 | 2.50 | 20.00 | |
| AQUILEGIA caerulea. Colorado Colum- | | | | |
| BINE. 18" Blue and white, May-June | .25 | 2.00 | 16.00 | |
| chrysantha. Golden Columbine. 2' Yel- | | | | |
| low, May-June | .25 | -2.00 | 16.00 | |
| *flabellata. FAN COLUMBINE. I' White, | | | | |
| May-June | .25 | 2.00 | 16.00 | |
| formosa truncata. California Hybrids. | | | | |
| 2' Various colors, May-June | .25 | 2.00 | 16.00 | |
| *ARABIS alpina. ALPINE ROCKCRESS. 6" | | | | |
| White, April–May | .25 | 2.00 | 10.00 | |
| *albida florepleno. Double Wallcress. | | | | |
| 6" White, April-May | .35 | 2.50 | 20.00 | |
| *ARENARIA montana. SANDWORT. 4" | ,,,, | | | |
| White, April–May | .25 | 2.00 | 16.00 | |
| *ARMERIA maritima. SEA THRIFT. 6" Pink, | 0 | | 23.00 | |
| May-June | .25 | 2.00 | 16.00 | |
| Janes Janes State | 0 | | | |

| *ASTER alpinus. Rock Aster. 8" Lilac, May-June | Each \$.25 | Per 10 \$2.00 | Per 100 \$16.00 |
|---|-------------------|---------------------|--------------------|
| Octsub-coeruleus. 12" Mauve, June-July | $.25 \\ .25$ | $\frac{2.00}{2.00}$ | 16.00 16.00 |
| *AUBRIETIA deltoidea. Common Aubrie- | .35 | 2.50 | 20.00 |
| Dark blue, May-June. | .25 | 2.00 | 16.00 |
| tinctoria. Yellow Wild-Indigo. 2' Yellow, June-July | .25 | 2.00 | 16.00 |
| let. AugSept | .25 | 2.00 | 16.00 |
| latisquama nana. DWARF PINKRAY BOL- TONIA. 2' Light Pink, Aug.—Sept *CALANDRINIA umbellata. PERUVIAN ROCK- | .25 | 2.00 | 16.00 |
| PURSLANE. 6" Purplish crimson, July—Oct | .25 | 2.00 | 16.00 |
| *CAMPANULA carpatica. CARPATHIAN BELL- FLOWER. 6" Light blue, July-Aug | .25 | 2.00 | 16.00 |
| *alba. White Carpathian Bellflower. 6" White, July-Aug glomerata. Danesblood. 18" Dark blue, | .25 | 2.00 | 16.00 |
| June-July | .25 | 2.00 | 16.00 |
| medium. Canterbury-bells. 2' Blue, Pink, White, June medium calycanthema. Cup-and-saucer. | .25 | 2.00 | 16.00 |
| 2' Blue, pink, white, June persicifolia. PeachLeaf Bellerlower. 2' | .25 | 2.00 | 16.00 |
| Blue, June-July | .25 | 2.00 | 16.00 |
| persicifolia alba. White Peachleaf Bellflower. 2' White, June-July CENTAUREA montana. Mountain-bluet. | .25 | 2.00 | 16.00 |
| 2' June-Sept *CERATOSTIGMA plumbaginoides. (PLUM- | .25 | 2.00 | 16.00 |
| BAGO LARPENTAE). BLUE LEADWORT, 8" Deep blue, Aug.—Sept | .35 | 2.50 | 20.00 |
| Aug.—Sept | .25 | 2.00 | 16.00 |
| lyoni. Lyon Turtlehead. 2½ Red, Aug.—Sept | .25 | 2.00 | 16.00 |
| CHRYSANTHEMUM | .40 | 3.25 | 25.00 |
| Maximum. Shasta Daisy. 2' White, July Maximum Alaska. 2' White, July Sept. | y-sept. | | |
| Maximum Alaska. 2' White, July-Sept. Dean Emery. 2½' Large. Yellow, mediur Donkelaria. 2½' Large. Yellow, early, Oc | n, Oct. ct. | | |
| Globe D'Or. 18" Button. Yellow, early. | | | |
| La Garrone. 2' Large. Rose and buff, ear L'Argentuillais. 2' Large. Bronzy red, me | ly. edium. | | |
| La Garrone. 2' Large. Rose and buff, ear L'Argentuillais. 2' Large. Bronzy red, me Lillian Doty. 3' Pompom. Flesh pink, me Marie Dupont. 3' Large. White, early. Mrs. H. Harrison. 3' Pompom. Blush, ea Pink Doty. 3' Pompom. Clear pink, med. Queen of the Whites. 3' Large. Creamy Red Doty. 2' Pompom. Wine red. medium. | dium. | | |
| Mrs. H. Harrison. 3' Pompom. Blush, ea | ırly. | | |
| Queen of the Whites. 3' Large. Creamy Red Doty. 3' Pompom. Wine red, medium | white, | late. | |
| St. Illoria. 2½' Large. Pink, medium. Soeur Melanie. 2½' Large. White, medium. | ıım | | |
| Tennyson. 2' Pompom. Red, late. | | | |
| Tennyson. 2' Pompom. Red, late. Uvalda. 2½' Pompom. White. Yellow Dot. Pompom. Yellow, medium. White Dotr. 2' Pompom. White medium. | 2 | | |
| White Doty. 3' Pompom. White, medium Zenobia. 18" Button. Yellow, early. CIMISCIFUGA racemosa. Соновн Вид- | 1. | | |
| BANE. 3'-4' White, July-Aug | .40 | 3.25 | 25.00 |

| | Each | Per 10 | Per 100 |
|---|-------|--------|--------------|
| CONVALLARIA majalis. LILY-OF-THE-VAL- LEY. 8" White, May-June | \$.50 | \$4.00 | |
| COREOPSIS floribunda. COREOPSIS. 2' Yellow, June—Sept | | | #20.00 |
| lanceolata. LANCE COREOPSIS. 2' Vellow | .35 | 2.50 | \$20.00 |
| 11111e=(7CL, , , , , , , , , , , , , , , , , , , | .25 | 2.00 | 16.00 |
| DELPHINIUM belladonna. LARKSPUR. 2½' Light blue, June-Oct | .25 | 2.00 | 16.00 |
| grandiflorum chinense. SLENDER LARK- SPUR. 2' Deep blue, June—Oct | | | |
| spur. 2' Deep blue, June-Oct grandiflorum chinense alba. White Slen- | .25 | 2.00 | 16.00 |
| DER LARKSPUR. 2' White, June-Oct. elatum. BEE LARKSPUR. 2' Blue, June- | .25 | 2.00 | 16.00 |
| elatum. Bee Larkspur. 2' Blue, June-Oct | .25 | 2.00 | 16.00 |
| formosum. Hardy Larkspur. 21/2' Dark | | 2.00 | 10.00 |
| blue, June-Oct | .25 | 2.00 | 16.00 |
| | .25 | 2.00 | 16.00 |
| DIANTHUS barbatus. SWEET-WILLIAM. 11/2' | 0.5 | 0.00 | 10.00 |
| DIANTHUS barbatus. SWEET-WILLIAM. 1½' Red, white, pink, May-June Newport pink. SWEET-WILLIAM. 18" Pink, | .25 | 2.00 | 16.00 |
| May-June | .25 | 2.00 | 16.00 |
| william. I' Crimson, May-June | .25 | 2.00 | 16.00 |
| WILLIAM. I' Crimson, May-June Miss America. 18" Double scarlet, May- | | | |
| Sept | .25 | 2.00 | 16.00 |
| *plumaris. I' White, May-June | .25 | 2.00 | 16.00 |
| *plumaris. 1' White, May-June Gertrude. 10" Double red, May-June. *Her Majesty. 10" Double White, | .25 | 2.00 | 16.00 |
| *Her Majesty. 10" Double White, | | | |
| May-June Jean. 18" Double, white, red center, May- | .25 | 2.00 | 16.00 |
| Sept | .25 | 2.00 | 16.00 |
| *DICENTRA spectabilis. BLEEDING-HEART. | 0.5 | ~ ~~ | 50.00 |
| 18" Pot grown. Deep rose, April-May. DICTAMNUS alba (fraxinella). GASPLANT. | .65 | 5.75 | 50.00 |
| 3' White, June-JulyDIGITALIS purpurea. FOXGLOVE. 2½' Rosy | .40 | 3.25 | 29.00 |
| DIGITALIS purpurea. Foxglove. 2½' Rosy | 05 | 0.00 | 16.00 |
| purple, June-Julyalba. White Foxglove. 2' White, June- | .25 | 2.00 | 16.00 |
| *DRABA rupestris. Whitlow Grass. 4" | .25 | 2.00 | 16.00 |
| White, April–May | .25 | 2.00 | 16.00 |
| ECHINACEA purpurea. Purple Cone- | | | |
| FLOWER. 3½' Purple, July-Aug ECHINOPS humilis. Low Globethistle. 2' | .25 | 2.00 | 16.00 |
| Steel blue, July-Aug | .25 | 2.00 | 16.00 |
| ritro. Steel Globethistle. 3' Steel blue, | 0" | 2.00 | 10.00 |
| Iuly-Aug | .25 | 2.00 | 16.00 |
| FLOWER. 2' Blue, AugOct | .25 | 2.00 | 16.00 |
| FUNKIA subcordata. WHITE PLANTAINLILY. | | | |
| 18" White, July-Aug | .35 | 2.50 | |
| caerulea. 18" Blue, July-Aug | .30 | 2.50 | 20.00 |
| undulata variegata. VARIEGATED LEAF | | | |
| Funkia. 18" Blue, July-Aug | .25 | 2.00 | 16.00 |
| GAILLARDIA grandiflora. GAILLARDIA. 18" | | | |
| Yellow and Red, May-Nov | .25 | 2.00 | 16.00 |
| GEUM Mrs. Bradshaw. Avens. 18" Double | 2.5 | 0.00 | *** |
| Red, June–July | .25 | 2.00 | 16.00 |
| May-July | .25 | 2.00 | 16.00 |
| *GLOBULARIA trichosanthes. Syrian GLOBE- | | | |
| PAISY. 6" Blue, May-June | .25 | 2.00 | 16.00 |

| | Each | Per 10 | Per 100 |
|---|--------------------|-----------------------|------------------|
| GYPSOPHYLLA paniculata. BABYSBREATH. 2' White, June–July | \$.25 | \$2.00 | \$16.00 |
| *repens. Creeping Gypsophylla. 4" White, June–July | .25 | 2.00 | 16.00 |
| HELENIUM autumnale superba. Great Sneezeweep. 4' Yellow, Aug.—Sept. | .25 | 2.00 | 16.00 |
| Riverton Gem. Bronze Sneezeweed. 3' Bronze, Aug.—Sept | .25 | 2.00 | 16.00 |
| HELIANTHEMUM. 18" SUNROSE: Pink, May-Sept | .35 | 2.50 | 29.00 |
| HELIANTHUS fl. pl. 4'-5' Yellow, Aug Sept | .25 | 2.00 | 16.00 |
| HELIOPSIS helianthoides pitcheriana. PIT- CHER HELIOPSIS. 3' Yellow, July- | | | |
| HEUCHERA sanguinea. Coral Bells. 18" | .25 | 2.00 | 16.00 |
| Pot grown. Crimson. May-Sept sanguinea alba. White Arrowroot. 18" | .35 | 2.50 | 29.00 |
| White, May-Sept | .35 | 2.50 | 29.00 |
| mallow. 4' Aug.—Sept | $.25 \\ .25$ | $\frac{2.00}{2.00}$ | $16.00 \\ 16.00$ |
| HOLLYHOCK. (See Althea). | | | |
| *IBERIS gibraltarica. Gibraltar Candy- tuft. I' Lilac, May-June *sempervirens. Evergreen Candytuft. | .25 | 2.00 | 16.00 |
| 10" White, April-Maysempervirens. Little Gem. 6" Ever- | .25 | 2.00 | 16.00 |
| green leaves. White, April* *IRIS pumila cyanea. DWARF IRIS. 8" Pur- | .35 | 3.00 | 25.00 |
| ple, May | .25 | 2.00 | 16.00 |
| Dwarf Yellowgermanica. German Iris. 1½'-2½' | $.25 \\ .25$ | $\frac{2.00}{2.00}$ | $16.00 \\ 16.00$ |
| Aurea—yellow. H. Cramer— Dr. Bernice—bronze. King—dark | | er blue. | |
| Florentina—white. Landseer. General. Loreli—vello | | | |
| Granite Blue—light blue. Mme. Chere | au-wh | ite penc | iled blue |
| Gracchus—pale yellow, suf- fused red. Mrs. H. Dar Her Majesty—pink. Pallida Spec | win—w | sy ciare hite, vio | let base. |
| Her Majesty—pink. Pallida Spec kaempferi. IAPANESE IRIS. 2'-2½' | iosa—de .35 | eep lave 2.50 | nder. 20.00 |
| kaempferi. JAPANESE IRIS. 2'-2½' Blue Jay—pale blue. J. C. Vaugha Blue, Yellow Centre. Light Blue. | n-whi | te. | |
| Dark Maroon. Oyodo—darl | c purple | | |
| Eclipse—double purple. Purple, Yello Frate—dbl. white, lilac centre.Red, White | ow Cent Centre. | re. | |
| sibirica. Siberian Iris. 2' Purple, May- | .25 | 2.00 | 16.00 |
| Junesibirica alba. White Siberian lris. 2' White, May-June | .35 | 3.00 | 25.00 |
| LATHYRUS latifolius. PERENNIAL PEA. 3' | | 3,00 | |
| Pink, June-Aug* *LINUM perenne. Blue Perennial Flax. | .20 | 1.80 | 15.00 |
| I' June–July | .25 | 2.00 | 16.00 |
| Scarlet, July-Augsyphilitica. Large Blue Lobelia. 2' | .25 | 2.00 | 16.00 |
| Blue, AugSeptsiphilitica alba. White, AugSept | $.25 \\ .25$ | $\frac{2.00}{2.00}$ | $16.00 \\ 16.00$ |

| | Tr - 1 | D 10 | D 100 |
|---|------------|---------------------|------------------|
| LUPINUS arborus. LUPINE. 3' Yellow, | | Per 10 | |
| June-July | \$.25 | \$2.00 | \$16.00 |
| polyphyllus albus. 3' White, June–July polyphyllus moerheimi. Rose Lupine. Pink. | .40 .40 | $\frac{3.25}{3.25}$ | $25.00 \\ 25.00$ |
| June-July | .40 | 3.25 | 25.00 |
| Scarlet, June-Julyhaageana. Haage Campion. 1' Scarlet, | .25 | 2.00 | 16.00 |
| May-June | .25 | 2.00 | 16.00 |
| May-JuneLYTHRUM salicaria. Purple Loosestrife. | .35 | 2.50 | 20.00 |
| 2½' Pink, July-Aug | .35 | 2.50 | 20.00 |
| MATRICARIA inedora. Scentless False- CHAMOMILE. 18" White, June-Sept | .25 | 2.00 | 16.00 |
| MICCANTUIC ginancia Francis 21/ | | | |
| MISCANTHUS sinensis. Eulalia. 2½' sinensis. Variegated Striped Eulalia. | .25 | 2.00 | 16.00 |
| MONARDA media. Purple Wildbergamot. | .25 | 2.00 | 16.00 |
| 2½' Rose red, June-Aug | .25 | 2.00 | 16.00 |
| | | | 20,00 |
| *MYOSOTIS scorpioides (palustris). True Forget-me-not. 10" Blue, May-Sept. | .25 | 2.00 | 16.00 |
| *nixenauge. 8" Pale blue. May-June | .25 | 2.00 | 16.00 |
| *NIEREMBERGIA rivularis. WHITECUP. 4" | | | |
| White, June-Aug | .25 | 2.00 | 16.00 |
| OENOTHERA youngi. Youngs Sundrops. | .25 | 2.00 | 16.00 |
| 2' Yellow, June-Augspeciosa. White Sundrops. 18" White, | .20 | 2.00 | 10.00 |
| Aug.—Sept | .25 | 2.00 | 16.00 |
| | | | |
| PACHYSANDRA terminalis. JAPANESE PACHYSANDRA. 8" Greenish white, | | | |
| May | .25 | 2.00 | 16.00 |
| PAEONIA. PEONY | .75 | 6.50 | 50.00 |
| Agida—red. Festiva Max | ima—¤ | hite | 50.00 |
| Albatree—white. Lady Dartmo | nith—v | vhite. | |
| Albert Crousse—rose white. La Tulipe—v | | | |
| August d'Hour—dark red. Louise Van I | Toutte- | –deen ro | se. |
| Canari—yellow. Mad. L. Cald | t—pinl | k. 1 | |
| Couron d'Or—white. Mad. Mouto | t—pink | | |
| Delachi—red. Magnifica—v | white. | | |
| Duc de Wellington-white. Marie Des H | | | |
| Duchesse de Nemours—whiteMarie Lemo | | nite. | |
| Edouard Andre—Carmine. McMahon— | rea. | | |
| Edulis Superba—pink. Meissonier— Eugene Verdier—pink. Mme. de Ver | -purpie | rea. | |
| Faust—pink. Modest Gue | rin—red | 4 WIIIEC. | |
| Felix Crousse—red. Rose d'Amou | | | |
| Festiva Alba—white. | P | | |
| *PAPAVER nudicaule. ICELAND POPPY. 10" | | | |
| White vellow May-Aug | .25 | 2.00 | 16.00 |
| White yellow, May-Aug papaver orientale. ORIENTAL POPPY. 2½' | 0 | | 20.00 |
| Scarlet, July-Aug | .35 | 2.50 | 25.00 |
| PENTSTEMON torreyi. TORREY PENTSTE- | | | |
| MON. 3' Scarlet, June-Aug | .25 | 2.00 | 16.00 |
| PHALARIS arundinacea. REED CANARY | | | |
| | | | |
| Grass. 3' | .25 | 2.00 | 16.00 |

| | Each | Per 10 | Per 100 |
|---|--------------|---------------------|------------------|
| PHLOX arendsi. Arends Phlox. Louise. I' Lilac, May-July | .25 | \$2.00 | \$16.00 |
| blue, May | .25 | 2.00 | 16.00 |
| Sept | .35 .35 | $\frac{2.75}{2.75}$ | $25.00 \\ 25.00$ |
| Deutschland. Bright orange-red | .35 | 2.75 | 25.00 |
| Eclaireur. Violet-red, pink eye Elizabeth Campbell. Delicate Salmon- | .25 | 2.00 | 16.00 |
| pinkFraulein Von Krupp. White dwarf | $.35 \\ .25$ | $\frac{2.75}{2.00}$ | $25.00 \\ 16.00$ |
| G. A. Strohlein. Orange-scarlet, darker | | | |
| General Von Heutz. Salmon-red. white | .35 | 2.75 | 25.00 |
| centre | .25 | 2.00 | 16.00 |
| | $.25 \\ .35$ | $\frac{2.00}{2.75}$ | $16.00 \\ 25.00$ |
| Hindenberg. Intense Crimson | .35 | $\frac{2.75}{2.75}$ | 25.00 25.00 |
| Jules Sandeau. Pure pink, dwarf | | | |
| La Vague. Mauve pink, red eye | .25 | 2.00 | 16.00 |
| Mrs. Jenkins. (Independence), white | .25 | 2.00 | 16.00 |
| Queen. White, early | .25 | 2.00 | 16.00 |
| R. P. Struthers. Red, crimson eye | .25 | 2.00 | 16.00 |
| Rhynstroom. Deep pink | .25 | 2.00 | 16.00 |
| Sunshine. Pink, darker eye | .25 | 2.00 | 16.00 |
| Thor. Salmon-pink, crimson eye, large | .25 | 2.00 | 16.00 |
| Wanadis. Lilac, purple eye | .35 | 2.50 | 20.00 |
| Widar. Reddish violet, white centre | .25 | 2.00 | 16.00 |
| | .20 | 2.00 | 10.00 |
| *ovata (carolina). Mountain Phlox. 12" Rosy red, June-July *subulata. Moss Phlox. 4" Pink, April- | .25 | 2.00 | 16.00 |
| May*subulata alba. White Moss Phlox. 4" | .25 | . 2.00 | 16.00 |
| White, April-May*subulata G. F. Wilson. Lavender Moss | .25 | 2.00 | 16.00 |
| PHLOX. 4" Lavender blue, April–May suffruticosa. Miss Lingard. Tall, vigorous. | .40 | 3.25 | 25.00 |
| White, pink eye | .25 | 2.00 | 16.00 |
| PLATYCODON grandiflorum. BALLOON FLOWER. 18" Light blue, June—July grandiflorum album. WHITE BALLOON- | .25 | 2.00 | 16.00 |
| grandiflorum album. White Balloon- Flower. White, June-July mariesi. Maries Balloonflower. 12" | .25 | 2.00 | 16.00 |
| Blue, June-July | .25 | 2.00 | 16.00 |
| PLUMBAGO. (See Ceratostigma). POLEMONIUM caeruleum. GREEK VALE- | | | |
| RIAN. 2' Blue, June–July* *Richardsoni. JACOB's LADDER. 12" Sky | .25 | 2.00 | 16.00 |
| blue, June-July | .25 | 2.00 | 16.00 |
| *PRIMULA acaulis (vulgaris). ENGLISH PRIM- ROSE. 8" Lemon yellow, April-May *elatior. OXLIP PRIMROSE. 8" Various, | .25 | 2.00 | 16.00 |
| April-May* *veris. Cowslip Primrose. 6" Yellow, | .25 | 2.00 | 16.00 |
| April–May | .25 | 2.00 | 16.00 |
| PYRETHRUM hydridum. PAINTED LADY. 2' Double mixed. July-Aug | .25 | 2.00 | 16.00 |
| Yellow, Aug.—Sept | .25 | 2.00 | 16.00 |
| speciosa (newmanni). Showy Coneflower. 2' Pot grown. Yellow, July-Oct | .25 | 2.00 | 16.00 |

| SALVIA azuria. Azure Sage 2' Sky blue | | Each Per 10 Per 100 | | | |
|--|------------|---------------------|----------|--|--|
| SALVIA azuria. Azure Sage. 3' Sky blue, Aug.—Sept | .25 | \$ 2.00 | \$ 16.00 | | |
| June-July | .25 | 2.00 | 16.00 | | |
| *SEDUM acre. Goldmoss. 3" Yellow, May- | | | | | |
| June*album. White Stonecrop. 3" White, | .25 | 2.00 | 16.00 | | |
| May-line | .25 .35 | 2.00 | 16.00 | | |
| divergens. 6"**kamtschaticum. Orange Stonecrop. 8" | | 2.50 | 20.00 | | |
| Yellow, July-Aug. *sarmentosum. Stringy Stonecrop. 2" Yellow, June-July. spectabile. Showy Stonecrop. 18" Pink, AugSept. *stoloniferum. Running Stonecrop. 6" Pink, July-Aug. *hispanicum. Spanish Stonecrop. 4" Pale pink, July. rupestre (cruciatum). Monreale Stonecrop. | .25 | 2.00 | 16.00 | | |
| | .25 | 2.00 | 16.00 | | |
| | .25 | 2.00 | 16.00 | | |
| | .25 | 2.00 | 16.00 | | |
| | .25 | 2.00 | 16.00 | | |
| | .35 | 2.50 | 20.00 | | |
| STACHYS lanata. WOOLLY BETONY. 18" Purple, June–July | .25 | 2.00 | 16.00 | | |
| STOKESIA laevis. BLUE STOKESIA. 18" Blue, July-Oct | .25 | 2.00 | 16.00 | | |
| | .25 | 2.00 | 16.00 | | |
| *THYMUS serphyllum splendens. Firefly Thyme. 2" Red, June-July | .25 | 2.00 | 16.00 | | |
| TRITOMA pfitzeriana. Bonfire Torchlily. 2½' Red and orange, Aug.—Sept | .25 | 2.00 | 16.00 | | |
| *TUNICA saxifraga. Saxifrage Tunic- Flower. 6" White, July-Aug | .25 | 2.00 | 16.00 | | |
| VERONICA longifolia subsessilis. CLUMP | | | | | |
| SPEEDWELL. 2' Violet-blue. Aug.— Sept | .35 | 2.50 | 20.00 | | |
| | .25 | 2.00 | 16.00 | | |
| | .35 | 2.50 | 20.00 | | |
| | .35 | 2.50 | 20.00 | | |

Fruit Trees and Bush Fruits

| ⅓ in. to 11-16th t | CRAB APPLES up | X | \$2.00 1.50 1.00 .75 |) |
|---|--|---|--|---|
| SUMMER Early Harvest Early Strawberry Gravenstein Red Astrachan Williams E. Red Yel. Transparent CRAB APPLES— | King Sweet Bough Talman Sweet Wealthy Wolf River | Baldwin Ben Davis Delicious Fameuse (Sn Golden Russ Jonathan McIntosh N. W. Green R. I. Greenin | ow) Set Sing Ving Ving Ving Ving Ving Ving Ving V | Northern Spy Rome Beauty Roxbury Russet Spitzenburg Stayman's Stark York Imperial Winesap Winter Banana |
| APPLES—Dwarf 5% in to 3 ½ in. to Baldwin, Delicious | 4 in | A | 1.50 |) |
| $\frac{7}{8}$ in. to $11-16$ th in | up | X A ôth inM | 2.00 1.50 1.00 .75 Seckel Sheldo Vermo |)) ; |
| PEARS—Dwarf First grac Med. grac Bartlett, Clapp's Beauty. | de, $\frac{5}{8}$ in. and up. de, $\frac{1}{2}$ in. to $\frac{5}{8}$ ir Favorite, Duche | ABss, Louise Bo | 1.00 .75 nne, S | Seckel, Vermont |
| % in. to 1 11-16th in % in. to | up | X | 2.00 1.50 1.00 .75 | |
| 1 in. to 1 7/8 in. to 11-16th in 5/8 in. to Black Tartaria | eet d up | XXAB ate Red, Go | \$2.50 2.00 1.50 1.25 1.00 v. W | |
| ⁷ ⁄ ₈ in. to 1 11-16th i | up | X | 2.00 1.50 1.00 Shrop | |

| PEACHES— | | Each | Per 10 |
|---|---|---------------------------|--|
| 5% in. to 34 in., 4 9-16th in. to 5% i 7-16th in. to 9-16 | to 7 ft | 1.00 .75 .50 .40 | \$9.00 6.50 4.50 3.50 2.50 |
| EARLY | MID-SEASON | 1 | LATE |
| | | | nmel Octobei |
| Carman, F., White Champion F., White | Belle of Georgia F., Wh | | F., Yellow |
| Early Crawford F., Yel. | Late Crawford F., Yel. | | Seedling |
| Fitzgerlad F., Yellow | Elberta F., Yellow | | F., White |
| Hiley F White | Hale F., Yellow | | |
| Mountain Rose F., Wh. | Iron Mountain F., White | e | |
| Ray F., White | Miss Lolo F., White | | |
| QUINCES— | 77 | 4 70 | |
| | tX | 1.50 | |
| | tA tM | $\frac{1.25}{1.00}$ | |
| Champion, Orange. | t | 1.00 | |
| onumpion, orunge. | | | |
| NUTS- | | | |
| Butternut—2 to 3 ft | | 1.00 | |
| | | 1.25 | |
| 4 to 6 ft | | 1.50 | |
| Hickory—Shellbark | | 2.00 | |
| | • | 2.00 | |
| | | 2.50 | |
| Walnut-Black | | 1.50 | |
| | | $\frac{1.50}{2.00}$ | |
| | | $\frac{2.50}{2.50}$ | |
| Japan—3 to 4 ft | | 1.50 | |
| | | 2.00 | |
| | | 2.50 | |
| GRAPES | | | |
| Agawam, red |) | | |
| Brighton, black | | | |
| Campbell's Early, blac | k | | |
| Catawba, red | | | |
| Champion, black | | Fooh | Per 10 |
| Clinton, black | }2 yr. | .35 | 3.00 |
| Concord, black | 71 <u>-</u> 71. | •00 | 3.00 |
| Delaware, red | | | |
| Moore's Early, black | ., | | |
| Moore's Diamond, wh | ite | | |
| Niagara, white Worden, black | | | |
| Worden, Black | , | | |
| CURRANTS- | | | |
| Cherry | | | |
| Fay's Prolific Lee's Black | | | |
| Perfection | | | |
| White Grape | | | |
| - | $\dots \dots 2$ yr. | \$.35 | 3.00 |
| GOOSEBERRIES- | 3 yr. | .50 | |
| Downing Houghton | | | |
| Houghton Joselyn | | | |
| Red Jacket | | | |
| | / | | |

| RASPBERRY-Cuthbert, Kansas, Columbian, | | Per 10 Per100 | |
|--|-----|---------------|--------|
| St. Regis (everbearing) | | \$1.00 | \$8.00 |
| BLACKBERRIES—Blower's, Erie, Rathbun | | 1.00 | 8.00 |
| STRAWBERRIES | | 1.00 | 6.00 |
| ASPARAGUS—2 yr | | .50 | 3.00 |
| RHUBARB | .25 | 2.00 | 15.00 |

Humus

The productiveness of the soil depends on its fertility. Humus is a fertility maker. Without it there would be no plant life. It is one of the most important soil constituents. It is the chief source of nitrogenous food for plants. It helps a sandy soil by greatly increasing its water holding capacity. It makes a clay soil more granular and lessens its tendency to bake. The use of Humus means an increased yield of vegetables, better flowers, shrubs, trees and lawns.

Rhododendron—Kalmia—Wildings

The use of Humus, in the proper quantity, will insure success with Rhododendrons, Kalmia, Ferns and Wild Flowers because it reproduces the soil conditions in which they are found growing wild. In addition, if a suitable mulch of Humus is used, it will keep the roots moist during the extreme heat of summer, and a strong, healthy growth will be assured.

Cultural directions will be sent upon request.

Prices

\$5.00 for five 100-lb. bags; \$18.00 per ton, f. o. b. Stanhope, N. J.

A great saving may be effected in purchasing humus in bulk, in carloads of 30 to 35 tons, owing to the saving in bags and labor of handling and the fact that the freight is much less on bulk humus. Price quoted upon application.



